



TOOL ASSORTMENTS AND TRANSPORT





CONTENT

Tool backpack Modular X18	4
Case design	8
Tool Case "Basic"	10
Tool Case "BIG Basic Move"	14
Tool Case "BIG Twin"	20
Tool Case "BIG Twin Move"	22
Case design "Robust"	26
Tool Case "Robust23"	28
Tool Case "Robust34"	29
Tool Case "Robust26 Move"	30
Tool Case "Robust45 Move"	32
Tool Case "Vision24"	36
Tool Case "Vision27"	37
Tool Case for Photovoltaics	38
Compact Tool Case	40
Toolbox "RED"	42
KNIPEX L-BOXX®	43
Tool Bags	46
Tool Rolls	52
Belt Tool Pouches	57
Tool Kits	60
TANOS MINI-systainer®	67
Crimp Assortments	68

Tool backpack Modular X18

Light, flexible and unique: The modular tool backpack for all those who make no compromises in their work.

- ▶ Fits you and your tools: practical and comfortable due to fully hinged front and back, removable tool board and padding for your back
 - ▶ As individual as you are: Optimal flexibility due to innovative FIDLOCK® connectors and MOLLE webbing
 - ▶ Fit for any challenge: with two separate inner compartments for tools, measuring instruments, notebook or tablet
 - ▶ Max. payload: 15 kg
 - ▶ Volume: 18 litres
- > Durable fabric made of sustainable recycled synthetic fibers, splash-proof and easy to clean
 - > Waterproof molded bottom made of impact-resistant plastic for a secure upright position when opened and closed, 6 cm high
 - > One MOLLE strap on the inside and four MOLLE straps on the outside for attaching any adapters, carabiners and accessories
 - > FIDLOCK® connections are fastened or unfastened in no time at all
 - > A total of 21 retaining loops and 37 pockets, some with zips
 - > Luggage strap for fixing to telescopic handles of tool cases
 - > 53 x 34 x 21 cm (H x W x D), empty weight 2.9 kg, tested load capacity up to 15 kg



FIDLOCK® adapter with fabric loop



Carabiners or FIDLOCK® adapters can be attached to the MOLLE straps and combined in almost any way

Over 50 tool holders, you can store up to 15 kg of tools neatly, reliably and always within easy reach.



Article No.	EAN	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	⚖ g
00 21 50 LE	4003773-089056	370 (340)	530 (470)	210 (190)	3557

FIDLOCK® connector to reinforce the support system



The luggage strap allows convenient attachment to telescopic handles of tool cases



Separate laptop compartment



Removable, half-height tool panel



Adjustable opening width



Lockable zippers



Small parts tray



Tool backpack Modular X18 Electric

Convenient transport of the most important tools for the electrical trade

- ▶ Equipped with 16 KNIPEX tools, a total of 22 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the backpack, see page 4



00 21 50 E

Content

00 11 01 KNIPEX		70 06 160 KNIPEX					
08 26 185 KNIPEX		78 06 125 KNIPEX		98 25 01 SLS KNIPEX		Wera 9 parts	
12 52 195 KNIPEX		90 22 10 KNIPEX		98 20 35 SL KNIPEX		Lyra	
13 86 200 KNIPEX		97 53 14 KNIPEX		98 20 55 SL KNIPEX		Picard	
16 95 01 KNIPEX		98 25 01 SL KNIPEX		98 52 KNIPEX		Stabila	
26 26 200 KNIPEX		98 25 02 SL KNIPEX		KNIPEX		Stabila	

Article No.	EAN				Nominal size	Quantity	g
00 21 50 E	4003773-089063	Tool backpack Modular X18 Electric					6600
		00 11 01	KNIPEX TwinKey® Control Cabinet Keys	KNIPEX	92 mm	1	
		08 26 185	Needle-Nose Combination Pliers		185 mm	1	
		12 52 195	KNIPEX PreciStrip 16 Automatic Insulation Stripper		0.08–16 mm ²	1	
		13 86 200	Pliers for Electrical Installation		Ø 15 mm / 50 mm ²	1	
		16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool		Ø 8.0–13.0 mm	1	
		26 26 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)		200 mm	1	
		70 06 160	Diagonal Cutter		160 mm	1	
		78 06 125	Electronic Super Knips		125 mm	1	
		90 22 10 BK	KNIPEX BiX Cutter for plastic pipes and sealing sleeves		72 mm	1	
		97 53 14	Self-Adjusting Crimping Pliers for wire ferrules with lateral access		0.08 – 16 mm ²	1	
		98 20 35 SL	Screwdriver (Slim) for slotted screws		0.6 x 3.5 x 100 mm	1	
		98 20 55 SL			1.0 x 5.5 x 125 mm	1	
		98 25 01 SL	Screwdriver (Slim) for cross-recessed screws Pozidriv®		PZ1 x 80 mm	1	
		98 25 02 SL			PZ2 x 100 mm		
		98 25 01 SLS	Screwdriver (Slim) Plus/Minus Pozidriv®		PZ/S1 x 80 mm	1	
		98 52	Cable Knife		190 mm	1	
			Wooden folding rule type 1607, white	2000 mm	1		
			Set of hex key wrenches	Wera	1.5–10 mm	1	
			Deep hole marker	Lyra		1	
			Locksmith's hammer	Picard	300 g	1	
			Pocket Electric mini spirit level		68 mm	1	
			Spirit level type 70	Stabila	30 cm	1	

00 21 50 LE 089056 KNIPEX Modular X18 empty

Tool backpack Modular X18 Plumbing

Optimally equipped for the plumbing trade

- ▶ Equipped with 12 KNIPEX tools, a total of 17 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the backpack, see page 4



00 21 50 S

Content

00 11 01 KNIPEX		90 31 02 KNIPEX				
74 06 180 KNIPEX		90 22 10 KNIPEX				
86 03 300 KNIPEX		98 24 01 SL KNIPEX				
87 01 180 KNIPEX		98 24 02 SL KNIPEX		KNIPEX		
87 01 300 KNIPEX		98 20 35 SL KNIPEX		Wera 9 Parts		Picard
90 10 165 KNIPEX		98 20 55 SL KNIPEX		Lyra		Stabila

Article No.	EAN			Nominal size	Quantity	Δ g
00 21 50 S	4003773-089070	Tool backpack Modular X18 Plumbing				6550
			00 11 01	KNIPEX TwinKey® Control Cabinet Keys	92 mm	1
			74 06 180	High Leverage Diagonal Cutter	180 mm	1
			86 03 300	Pliers Wrench	300 mm	1
			87 01 180	KNIPEX Cobra® High-Tech Water Pump Pliers	180 mm	1
			87 01 300		300 mm	1
			90 10 165 BK	KNIPEX CutiX Universal knife	165 mm	1
			90 22 10 BK	KNIPEX BiX Cutter for plastic pipes and sealing sleeves	72 mm	1
			90 31 02 SB	KNIPEX TubiX® Pipe cutter	180 mm	1
			98 20 35 SL	Screwdriver (Slim) for slotted screws	0.6 x 3.5 x 100 mm	1
			98 20 55 SL		1.0 x 5.5 x 125 mm	1
			98 24 01 SL	Screwdriver (Slim) for cross-recessed screws Phillips®	PH1 x 80 mm	1
			98 24 02 SL		PH2 x 100 mm	1
				Wooden folding rule type 1607, white	2000 mm	1
				Set of hex key wrenches	Wera 1.5–10 mm	1
				Deep hole marker	Lyra	1
				Locksmith's hammer	Picard 300 g	1
				Spirit level type 70	Stabila 30 cm	1
00 21 50 LE	089056	KNIPEX Modular X18 empty				

The Case Design

**Robust on the outside, roomy on the inside:
perfect for the highest demands**

Our tool cases always offer an ideal balance between attractive design and plenty of storage space, sturdy construction and the most compact dimensions possible, as well as light weight. They are tailored to the many different needs of tradespeople – and are therefore available in a wide range of sizes and versions.



"Basic"
00 21 05 LE



"BIG Basic Move"
00 21 06 LE



"BIG Twin"
00 21 42 LE



"BIG Twin Move"
00 21 41 LE



"BIG Twin Move RED"
98 99 15 LE

The tool cases in comparison:

	Number of inserting options	Capacity litres	Max. load kg	Dimension exterior mm (W x H x D)	Dimension interior mm (W x H x D)	Trolley function
"Basic" 00 21 05 LE	41	27	15	465 x 410 x 200	440 x 350 x 180	–
"BIG Basic Move" 00 21 06 LE	54	33	20	515 x 430 x 280	480 x 350 x 200	✓
"BIG Twin" 00 21 42 LE	95	38	25	520 x 435 x 250	490 x 370 x 110/100	–
"BIG Twin Move" 00 21 41 LE	95	38	30	520 x 435 x 290	490 x 370 x 110/100	✓
"BIG Twin Move RED" 98 99 15 LE	95	38	30	520 x 435 x 290	490 x 370 x 110/100	✓

Large KNIPEX logo
on the cover



Two deposit recesses
in the case cover



Two metal flip locks



Three-digit
combination lock



Label field for
individual labelling



Our "Move" models also with trolley function

Smooth-running
skater wheels



Extendable telescopic
handle



"Basic"

Solid basis for tool equipment



Tool Case "Basic"

A classic: everything well sorted

- ▶ With a total of 41 inserting options
- ▶ Max. payload: 15 kg
- ▶ Volume: 27 litres

- > Strong, ergonomic handle
- > Heavy duty ABS material, black
- > Circumferential aluminium frame
- > Metal hinges
- > Document compartment in the cover
- > Two removable tool boards made of dirt-repellent PP twin-wall sheets with 21 tool pockets
- > Base tray, can be fixed by press button, height 50 mm, can be subdivided by inserts; cover plate with 12 large compartments and a flat compartment
- > Two metal tilting locks and three-digit combination lock for secure closing of the lid
- > Label field with two stickers for individual labelling




Tool boards made from dirt-repellent PP twin-wall sheets



00 21 05 LE
Case without tools

Two metal flip locks



Label field for individual labelling



Three-digit combination lock



Base tray with separable inserts



Article No.	EAN	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	g
00 21 05 LE	4003773-056904	465 (440)	410 (350)	200 (180)	4500

Tool Case "Basic" E-Mobility

Insulated EV set for mechanics

- ▶ Fit for EVs: most important VDE-tested tools and accessories neatly organised in a tool case
 - ▶ Insulated tools and accessories for all work on EVs
 - ▶ Complete basic EV equipment with pliers, open-ended spanner and ratchet set
- > 29 insulated tool and 1 pair of insulating gloves
> Tool case "Basic" 00 21 05 with foam insert for 3/8" reversible ratchet set
> Colour coding in foam insert indicates places for removed sockets
> For garages and companies that service EVs/their own vehicle fleets

For further benefits of the case, see page 11



00 21 05 EV

Content

26 16 200 KNIPEX		3 Parts 98 24 0X KNIPEX		6 Parts 98 29 XX KNIPEX		98 62 01 KNIPEX	
70 06 160 KNIPEX		98 31 KNIPEX		6 Parts 98 00 XX KNIPEX		98 62 02 KNIPEX	
86 06 250 KNIPEX		2 Parts 98 35 XXX KNIPEX		3 Parts 98 66 X0 KNIPEX		Supplement KNIPEX	
2 Parts 98 20 XX SL KNIPEX		4 Parts 98 37 1X KNIPEX		98 65 41 KNIPEX			

Article No.	EAN		Nominal size	Quantity	g
00 21 05 EV	4003773-089025	Tool Case "Basic" E-Mobility			7500
		26 16 200 Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		70 06 160 Diagonal Cutter	160 mm	1	
		86 06 250 Pliers Wrench	250 mm	1	
		98 00 08	8 mm	1	
		98 00 09	9 mm	1	
		98 00 10	10 mm	1	
		98 00 11	11 mm	1	
		98 00 12	12 mm	1	
		98 00 13	13 mm	1	
		98 20 35	0.6 x 3.5 x 100 mm	1	
		98 20 65	1.2 x 6.5 x 150 mm	1	
		98 24 01	PH1 x 80 mm	1	
		98 24 02	PH2 x 100 mm	1	
		98 24 03	PH3 x 150 mm	1	
		98 29 25	3/8" / TX25	1	
		98 29 27	3/8" / TX27	1	
		98 29 30	3/8" / TX30	1	
		98 29 40	3/8" / TX40	1	
		98 29 45	3/8" / TX45	1	
		98 29 50	3/8" / TX50	1	
		98 31	3/8"	1	
		98 35 125	3/8"	1	
		98 35 250	3/8"	1	
		98 37 10	10 mm	1	
		98 37 11	11 mm	1	
		98 37 12	12 mm	1	
		98 37 13	13 mm	1	
		98 62 01 Plastic Flat Nose Pliers insulating	180 mm	1	
		98 62 02 Plastic Snipe Nose Pliers insulating	220 mm	1	
		98 65 41 Electricians' Gloves insulated	410 mm	1	
		98 66 30	Ø 30 mm	1	
		98 66 40	Ø 40 mm	1	
		98 66 50	Ø 50 mm	1	
00 21 05 LE	056904	Tool Case "Basic" empty			

"BIG Basic Move"

Mobile companion
when travelling



Tool Case "BIG Basic Move"

Classic all-rounder with trolley function for working on the move

- ▶ With a total of 54 inserting options
- ▶ Max. payload: 20 kg
- ▶ Volume: 33 litres
- > Strong, ergonomic handle
- > Heavy duty ABS material, black
- > Circumferential aluminium frame
- > Metal hinges
- > Document compartment in the cover
- > Two removable tool boards made of dirt-repellent PP twin-wall sheets with 31 tool pockets
- > First tool board with ten tool pockets and an elastic strap on the cover side and eleven narrow and one large tool pocket on the base side
- > Second tool board with ten tool pockets and an elastic strap on the base side and a document compartment on the cover side
- > Base tray, can be fixed by a push button, 70 mm high, can be subdivided by inserts, cover board with 14 large tool pockets
- > Telescopic handle set in the base as well as two external, smooth-running skater wheels
- > Two metal tilting locks and three-digit combination lock for secure closing of the lid
- > Label field with two stickers for individual labelling



Tool boards made from dirt-repellent PP twin-wall sheets



00 21 06 LE
Case without tools



Base tray with separable inserts



Extendable telescopic handle



Smooth-running skater wheels



Article No.	EAN	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	g
00 21 06 LE	4003773-057512	515 (480)	430 (350)	280 (200)	6200

Tool Case "BIG Basic Move" Electric

The basic mobile tool kit for electricians

- ▶ Equipped with six KNIPEX tools, a total of 24 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the case, see page 15



Content

00 21 06 HL S

03 06 180 KNIPEX							
26 16 200 KNIPEX		98 52 KNIPEX		Maurerfreund		Ruthe	
11 06 160 KNIPEX		Wera 8 x		Rennsteig		Picard	
70 06 160 KNIPEX		Wera		Rennsteig		Picard	
16 20 165 KNIPEX		Haunstätter		Ruthe		Stabila	

Article No.	EAN		Nominal size	Quantity	g
00 21 06 HL S	4003773-084235	Tool Case „BIG Basic Move“ Electric			10425
		03 06 180 Combination Pliers	180 mm	1	
		11 06 160 Insulation Stripper	Ø 5.0 mm / 10.0 mm ²	1	
		16 20 165 SB Stripping Tool with scalpel blade	Ø 8.0 – 28.0 mm	1	
		26 16 200 Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		70 06 160 Diagonal Cutter	160 mm	1	
		98 52 Cable Knife	185 mm	1	
			Voltage detector, single-pole 247	1	
			0.5 x 3.0 x 70 mm	1	
			0.4 x 2.5 x 80 mm	1	
		Screwdrivers for slotted screws 1160i	0.6 x 3.5 x 100 mm	1	
			1.0 x 5.5 x 125 mm	1	
			1.2 x 6.5 x 150 mm	1	
		Screwdrivers for cross recessed Phillips® screws 1162i	PH1 x 80 mm	1	
			PH2 x 100 mm	1	
		Screwdrivers for cross recessed Pozidriv® screws 1165i	PZ1 x 80 mm	1	
			PZ2 x 100 mm	1	
			PUK®-Junior Hacksaw	150 x 240 mm	1
			Painter's spatula 40 mm, wood	40 mm	1
			Flat brush	40 mm	1
			Plaster bowl	127 x 94	1
			Mason's Chisels	250 mm	1
			Electrician's Chise	250 x 10 mm	1
			Locksmith's hammer, 300 g	300 g	1
			Sledge hammer	1000 g	1
			Carpenter's pencil		1

00 21 06 LE	057512	Tool Case "BIG Basic Move" empty
-------------	--------	----------------------------------

Tool Case "BIG Basic Move" ElectricPlus

Premium equipment for electrical professionals

- ▶ Equipped with 27 KNIPEX tools, a total of 68 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the case, see page 15



00 21 06

Article No.	EAN		Nominal size	Quantity	g
00 21 06	4003773-086260	Tool Case "BIG Basic Move" ElectricPlus			11590
		(PATENTED) 00 11 01 KNIPEX TwinKey® Control Cabinet Keys	92 mm	1	
		1000V PATENTED 08 26 145 Needle-Nose Combination Pliers	145 mm	1	
		12 52 195 KNIPEX PreciStrip16 Automatic Insulation Stripper	0.08–16 mm²	1	
		1000V PATENTED 13 86 200 Pliers for Electrical Installation	Ø 15 mm / 50 mm²	1	
		16 95 01 SB KNIPEX ErgoStrip® Universal Stripping Tool	Ø 8.0–13.0 mm	1	
		1000V 40° 26 26 200 Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		70 06 160 Diagonal Cutter	160 mm	1	
		74 06 200 High Leverage Diagonal Cutter	200 mm	1	
		78 06 125 Electronic Super Knips VDE	125 mm	1	
		87 01 180 KNIPEX Cobra® High-Tech Water Pump Pliers	180 mm	1	
		97 53 18 KNIPEX Twistor16® Self-Adjusting Crimping Pliers for wire ferrules	0.14–16 mm²	1	
		98 20 25 Screwdrivers for slotted screws	0.4 x 2.5 x 75 mm	1	
		1000V 98 20 35 SL	0.6 x 3.5 x 100 mm	1	
		98 20 40 SL Screwdriver (Slim) for slotted screws	0.8 x 4.0 x 100 mm	1	
		98 20 55 SL	1.0 x 5.5 x 125 mm	1	
		1000V 98 24 01 SL	PH1 x 80 mm	1	
		98 24 02 SL	PH2 x 100 mm	1	
		1000V 98 25 01 SL	PZ1 x 80 mm	1	
		98 25 02 SL	PZ2 x 100 mm	1	
		1000V 98 25 01 SLS	PZ/S1 x 80 mm	1	
		98 25 02 SLS	PZ/S2 x 100 mm	1	
		1000V 98 26 10	TX10 x 80 mm	1	
		98 26 15	TX15 x 80 mm	1	
		98 26 20	TX20 x 80 mm	1	
		98 26 25	TX25 x 100 mm	1	
		Set of hex key wrenches	1.5–10 mm	1	
		8100 SA 8 Zyklop set of metal ratchets 28 parts	1/4"	1	
		Locksmith's hammer	300 g	1	
		Electrician's Chise	250 x 10 mm	1	
		Spirit level type 70 Electric	430 mm	1	
		Pocket Electric mini spirit level	68 mm	1	
		Folding ruler Stabila series 400	2000 mm	1	

00 21 06 LE 057512 Tool Case "BIG Basic Move" empty



Tool Case "BIG Basic Move" Plumbing

The basic mobile tool kit for plumbing, heating and air-conditioning professionals

- ▶ Equipped with four KNIPEX tools, a total of 31 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the case, see page 15



00 21 06 HK 5

Content

70 06 160 KNIPEX		Wera 9 Parts		Picard		Stabila	
86 03 250 KNIPEX		Haunstätter		Picard		Stabila	
88 01 250 KNIPEX		Heyco		Picard		Stabila	
88 01 300 KNIPEX		Heyco		Rennsteig		Zenten	
Wera 5 x		Picard		Ruthe			

Article No.	EAN				Nominal size	Quantity	g
00 21 06 HK 5	084266	Tool Case "BIG Basic Move" Plumbing					10855
		1000 V	70 06 160	Diagonal Cutter	KNIPEX	160 mm	1
			86 03 250	Pliers Wrench		250 mm	1
			88 01 250	KNIPEX Alligator® Water Pump Pliers		250 mm	1
			88 01 300			300 mm	1
				Set of hex key wrenches	Wera	1.5–10 mm	1
		1000 V		Screwdrivers for slotted screws 1160i		0.6 x 3.5 x 100 mm	1
						1.0 x 5.5 x 125 mm	1
						1.2 x 6.5 x 150 mm	1
		1000 V		Screwdrivers for cross recessed Phillips® screws 1162 i	Heyco	PH1 x 80 mm	1
						PH2 x 100 mm	1
				PUK®-Junior Hacksaw	Haunstetter	150 x 240 mm	1
				Cutter	Heyco	18 mm	1
				Express key		M 10	1
				Flat brush	Picard	40 mm	1
				Steel wire brush, 5-row		280 mm	1
				Plaster bowl		127 x 94	1
				Painter's spatula 40 mm, wood		40 mm	1
				Electrician's Chise	Rennsteig	250 x 10 mm	1
				Locksmith's hammer, 300 g	Ruthe	300 g	1
				Carpenter's pencil	Stabila		1
				Spirit level type 70		30 cm	1
				Folding ruler Stabila series 400		2000 mm	1
				Pipe cutter	Zenten	3–35 mm / 1/8–1 1/2"	1

00 21 06 LE 057512 Tool Case "BIG Basic Move" empty

Tool Case "BIG Basic Move" Mechanic

All-round equipment for professional mechanics

- ▶ Equipped with 12 KNIPEX Tools, a total of 90 brand tools

For further benefits of the case, see page 15



00 21 06 M

Article No.	EAN			Nominal size	Quantity	g
00 21 06 M	4003773-086222	Tool Case "BIG Basic Move" Mechanic				12800
		00 11 01	KNIPEX TwinKey® Control Cabinet Keys	92 mm	1	
		16 20 50 SB	Folding Knife for Electricians	120 mm	1	
		16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool	Ø 8.0 – 13.0 mm	1	
		26 12 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		26 22 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		70 02 160	Diagonal Cutter	160 mm	1	
		71 31 200	KNIPEX CoBolt® Compact Bolt Cutter	Ø 5.2 mm	1	
		74 02 200	High Leverage Diagonal Cutter	200 mm	1	
		78 61 140	Electronic Super Knips XL	140 mm	1	
		86 01 250	Pliers Wrench	250 mm	1	
		87 01 250	KNIPEX Cobra® High-Tech Water Pump Pliers	250 mm	1	
			Set of hex key wrenches	1.5 - 10 mm	1	
			8100 SA 8 Zyklop set of metal ratchets 28 parts	1/4"	1	
			Screwdriver for slotted screws 335	0.6 x 3.5 x 100 mm	1	
				0.8 x 4.0 x 100 mm	1	
				1.0 x 5.5 x 100 mm	1	
			Slotted chisel slotted screws 932 A	1.2 x 7.0 x 125 mm	1	
				1.6 x 9.0 x 150 mm	1	
			Screwdriver for Phillips® screws 917 SPH	PH2 x 100 mm	1	
			Screwdriver for Phillips® screws 350 PH	PH1 x 80 mm	1	
				PH3 x 150 mm	1	
			Screwdriver for Pozidriv® screws 355 PZ	PZ1 x 80 mm	1	
				PZ2 x 100 mm	1	
				PZ3 x 150 mm	1	
			Micro Screwdrivers for slotted screws 2035	0.4 x 2.5 x 80 mm	1	
				0.23 x 1.5 x 60 mm	1	
			Micro screwdrivers for cross recessed Phillips® screws 2050 PH	PH0 x 60 mm	1	
				PH00 x 60 mm	1	
			TORX® Screwdriver 367	TX10 x 80	1	
				TX15 x 80	1	
				TX20 x 100	1	
				TX25 x 100	1	
				TX30 x 115	1	
			Combination wrench sets	Heyco 6/8/10/11/12/13/14/15/16/17/18/19 mm	1	
			Locksmith's hammer	Picard 300 g	1	
			Pin punch set	Rennsteig Ø 3 mm/4 mm/5 mm/6 mm/8 mm/10 mm	1	
			Automatic punch	130 mm	1	
			Wooden folding rule type 1607, white	2000 mm	1	
			Spirit level type 70TM	Stabila 22 cm	1	

00 21 06 LE 057512 Tool Case "BIG Basic Move" empty




Tool Case "BIG Twin"

For quick access: everything at a glance

- ▶ With a total of 95 inserting options
- ▶ Max. payload: 25 kg
- ▶ Volume: 38 litres

- > Free-standing in all opening positions thanks to snap-in cover holders with hinge mechanism on both sides, angle freely adjustable
- > Can be opened from one or both sides; bottom and lid can be opened independently of each other
- > Label field with two stickers for individual labelling
- > Heavy duty ABS material, black
- > Circumferential aluminium frame with securely mounted, sturdy centre wall that can be fitted on both sides, with versatile inserting options due to elasticated loops and twelve small pockets
- > Metal hinges
- > Three-digit combination lock for secure locking of the case
- > Two metal tilt locks each for fixing the cover and the base
- > Removable document compartment and removable tool board made from dirt-repelling twin-wall PP sheets with 13 tool pockets
- > Base tray, can be fixed by press button, height 58 mm, can be subdivided by flexible inserts; cover plate with six large compartments

Everything at hand thanks to intelligent layout



00 21 42 LE
Case without tools



Can be opened from both sides, large storage space with numerous tool bags



Base tray with handy, robust aluminium dividing bars



Article No.	EAN	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	g
00 21 42 LE	4003773-084211	520 (490)	435 (370)	250 (110/100)	7200

Tool Case "BIG Twin" Electric

Always at hand: extensive range of tools for the professional electrician

► Equipped with 14 KNIPEX tools, a total of 63 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the case, see page 20



00 21 42

Content

00 11 01 KNIPEX		26 26 200 KNIPEX		97 53 04 KNIPEX		Wera	
08 26 145 KNIPEX		70 06 160 KNIPEX		98 52 KNIPEX		Picard	
12 52 195 KNIPEX		74 06 200 KNIPEX		98 2X XX SL 2 x KNIPEX		Rennsteig	
13 86 200 KNIPEX		86 03 180 KNIPEX		Wera 16 Parts		Stabila	
16 95 01 KNIPEX		87 01 180 KNIPEX		Wera 28 Parts		Stabila	

Article No.	EAN					Nominal size	Quantity	g
00 21 42	4003773-084228	Tool Case "BIG Twin" Electric						11550
			00 11 01	KNIPEX TwinKey® Control Cabinet Keys	KNIPEX	92 mm	1	
		 	08 26 145	Needle-Nose Combination Pliers		145 mm	1	
			12 52 195 SB	KNIPEX PreciStrip16 Automatic Insulation Stripper		0.08–16 mm ²	1	
		 	13 86 200	Pliers for Electrical Installation		Ø 15 mm / 50 mm ²	1	
			16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool		Ø 8.0–13.0 mm	1	
		 	26 26 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)		200 mm	1	
		 	70 06 160	Diagonal Cutter		160 mm	1	
			74 06 200	High Leverage Diagonal Cutter		200 mm	1	
			86 03 180	Pliers Wrench		180 mm	1	
			87 01 180	KNIPEX Cobra® High-Tech Water Pump Pliers		180 mm	1	
		 	97 53 04	Self-Adjusting Crimping Pliers for wire ferrules with lateral access		0.08–10 + 16 mm ²	1	
		 	98 20 35 SL	Screwdriver (Slim) for slotted screws		0.6 x 3.5 x 100 mm	1	
		 	98 25 01 SL	Screwdriver (Slim) for cross-recessed screws Pozidriv®		PZ1 x 80 mm	1	
		 	98 52	Cable Knife		185 mm	1	
				Joker open-end wrench	10 x 13 mm	1		
				8100 SA 8 Zyklop set of metal ratchets 28 parts	1/4"	1		
				VDE interchangeable blades, 16 parts, slim		1		
				Locksmith's hammer	300 g	1		
				Electrician's Chise	250 x 10 mm	1		
				Spirit level type 70 Electric	430 mm	1		
				Pocket Electric mini spirit level	68 mm	1		

00 21 42 LE 084211 Tool Case "BIG Twin" empty

Tool Case "BIG Twin Move"

For quick access: everything at a glance

- ▶ With a total of 95 inserting options
- ▶ Max. payload: 30 kg
- ▶ Volume: 38 litres

- > Base tray, can be fixed by a push button, 70 mm high, can be subdivided by inserts, cover board with 13 tool pockets
- > Free-standing in all opening positions thanks to snap-in cover holders with hinge mechanism on both sides, angle freely adjustable
- > Removable document compartment and removable tool boards made from dirt-repellent PP twin-wall sheets with 13 tool pockets
- > Label field with two stickers for individual labelling
- > Telescopic handle set in the base as well as two external, smooth-running skater wheels
- > Heavy duty ABS material, black
- > Circumferential aluminium frame with securely mounted, sturdy centre wall that can be fitted on both sides, with versatile inserting options due to elasticated loops and twelve small pockets
- > Metal hinges
- > Three-digit combination lock for secure locking of the case
- > Two metal tilt locks each for fixing the cover and the base
- > Can be opened from one or both sides; bottom and lid can be opened independently of each other



Can be opened from both sides, large storage space with numerous tool bags

Everything at hand thanks to intelligent layout

00 21 41 LE
Case without tools

Extendable telescopic handle

Smooth-running skater wheels

Base tray with handy, robust aluminium dividing bars



"BIG Twin Move Red"
see page 24/25



Article No.	EAN	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	g
00 21 41 LE	4003773-071549	520 (490)	435 (370)	290 (110/100)	8600

Tool Case "BIG Twin Move" Electric

Everything under control, even when on the move: extensive range of tools for the professional electrician

- ▶ Equipped with 14 KNIPEX tools, a total of 63 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the case, see page 22



00 21 41

Content

00 11 01 KNIPEX		26 26 200 KNIPEX		97 53 04 KNIPEX		Wera	
08 26 145 KNIPEX		70 06 160 KNIPEX		98 52 KNIPEX		Picard	
12 52 195 KNIPEX		74 06 200 KNIPEX		98 2X XX SL 2 x KNIPEX		Rennsteig	
13 86 200 KNIPEX		86 03 180 KNIPEX		Wera 16 Parts		Stabila	
16 95 01 KNIPEX		87 01 180 KNIPEX		Wera 28 Parts		Stabila	

Article No.	EAN 4003773-			Nominal size	Quantity	△ g
00 21 41	082118	Tool Case "BIG Twin Move" Electric				12960
		00 11 01	KNIPEX TwinKey® Control Cabinet Keys	92 mm	1	
		08 26 145	Needle-Nose Combination Pliers	145 mm	1	
		12 52 195 SB	KNIPEX PreciStrip16 Automatic Insulation Stripper	0.08 - 16 mm ²	1	
		13 86 200	Pliers for Electrical Installation	Ø 15 mm / 50 mm ²	1	
		16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool	Ø 8.0 – 13.0 mm	1	
		26 26 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		70 06 160	Diagonal Cutter	160 mm	1	
		74 06 200	High Leverage Diagonal Cutter	200 mm	1	
		86 03 180	Pliers Wrench	180 mm	1	
		87 01 180	KNIPEX Cobra® High-Tech Water Pump Pliers	180 mm	1	
		97 53 04	Self-Adjusting Crimping Pliers for wire ferrules with lateral access	0.08 – 10 + 16 mm ²	1	
		98 20 35 SL	Screwdriver (Slim) for slotted screws	0.6 x 3.5 x 100 mm	1	
		98 25 01 SL	Screwdriver (Slim) for cross-recessed screws Pozidriv®	PZ1 x 80 mm	1	
		98 52	Cable Knife	185 mm	1	
			Joker open-end wrench	10 x 13 mm	1	
			8100 SA 8 Zyklop set of metal ratchets 28 parts	1/4"	1	
			VDE interchangeable blades, 16 parts, slim		1	
			Locksmith's hammer	300 g	1	
			Electrician's Chise	250 x 10 mm	1	
			Spirit level type 70 Electric	430 mm	1	
			Pocket Electric mini spirit level	68 mm	1	

00 21 41 LE 071549 Tool Case "BIG Twin Move" empty



Tool Case "BIG Twin Move RED" Electric Competence

Better safe than sorry: 47 insulated brand tools for work on electrical systems

- ▶ With a total of 95 inserting options
- ▶ Max. payload: 30 kg
- ▶ Volume: 38 litres
- > Telescopic handle set in the base as well as two external, smooth-running skater wheels
- > Free-standing in all opening positions thanks to snap-in cover holders with hinge mechanism on both sides, angle freely adjustable
- > Can be opened from one or both sides; bottom and lid can be opened independently of each other
- > Label field with two stickers for individual labelling
- > Circumferential aluminium frame with securely mounted, sturdy centre wall that can be fitted on both sides, with versatile inserting options due to elasticated loops and twelve small pockets
- > Metal hinges
- > Three-digit combination lock for secure locking of the case
- > Two metal tilt locks each for fixing the cover and the base
- > Removable document compartment and removable tool board made from dirt-repelling twin-wall PP sheets with 13 tool pockets
- > Base tray, can be fixed by press button, height 58 mm, can be subdivided by flexible inserts; cover plate with six large compartments
- > Dimensions, exterior (W x H x D): 520 x 435 x 290 mm; dimensions, interior (W x H x D): 490 x 370 x 110/100 mm
- > IEC 60900, DIN EN 60900



98 99 15









98 99 15 LE
Case without tools

Article No.	EAN	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	g
98 99 15 LE	4003773-084334	520 (490)	435 (370)	290 (110)	8600

Content

70 06 160 KNIPEX		98 00 XX 6 x KNIPEX		98 47 XX 9 x KNIPEX		98 25 02 SLS KNIPEX	
08 26 145 KNIPEX		98 01 XX 6 x KNIPEX		98 64 02 6 x KNIPEX		98 24 XX SL 2 x KNIPEX	
11 06 160 KNIPEX		98 42 KNIPEX		98 20 25 KNIPEX		98 52 KNIPEX	
87 26 250 KNIPEX		98 40 KNIPEX		98 20 XX SL 3 x KNIPEX		98 53 03 KNIPEX	
95 16 200 KNIPEX		98 45 XXX 2 x KNIPEX		98 25 XX SL 2 x KNIPEX			

Article No.	EAN		Nominal size	Quantity	g
98 99 15	4003773-084341	Tool Case "BIG Twin Move RED" Electric Competence			15095
		  08 26 145 Needle-Nose Combination Pliers	145 mm	1	
		 11 06 160 Insulation Stripper with opening spring, universal	Ø 5.0 mm / 10.0 mm ²	1	
		  70 06 160 Diagonal Cutter	160 mm	1	
		 95 16 200 Cable Shears with twin cutting edge	Ø 20 mm / 70 mm ²	1	
		98 00 10	10 mm	1	
		98 00 13	13 mm	1	
		98 00 14	14 mm	1	
		98 00 17	17 mm	1	
		98 00 19	19 mm	1	
		98 00 22	22 mm	1	
		98 01 10	10 mm	1	
		98 01 13	13 mm	1	
		98 01 14	14 mm	1	
		98 01 17	17 mm	1	
		98 01 19	19 mm	1	
		98 01 22	22 mm	1	
		98 20 25	0.4 x 2.5 x 75 mm	1	
		98 20 40 SL	0.8 x 4 x 100 mm	1	
		98 20 55 SL	1.0 x 5.5 x 125 mm	1	
		98 20 65 SL	1.2 x 6.5 x 150 mm	1	
		98 24 01 SL	PH1 x 80 mm	1	
		98 24 02 SL	PH2 x 100 mm	1	
		98 25 01 SL	PZ1 x 80 mm	1	
		98 25 02 SL	PZ2 x 100 mm	1	
		98 25 02 SLS	PZ/S2 x 100 mm	1	
		98 40	165 mm	1	
		98 42	5-50 Nm in steps of 0.25 Nm	1	
		98 45 125	+ 125 mm	1	
		98 45 250	+ 250 mm	1	
		98 47 10	10 mm	1	
		98 47 11	11 mm	1	
		98 47 12	12 mm	1	
		98 47 13	13 mm	1	
		98 47 14	14 mm	1	
		98 47 17	17 mm	1	
		98 47 19	19 mm	1	
		98 47 22	22 mm	1	
		98 47 24	24 mm	1	
		98 52	185 mm	1	
		98 53 03	155 mm	1	
		98 64 02	150 mm	6	

98 99 15 LE 084334 Tool Case "BIG Twin Move RED" empty

The Case Design "Robust"

**For the toughest operating conditions:
dust-tight, waterproof and temperature resistant**

- > Fit-to-fly case, made from impact-resistant polypropylene
- > Dustproof and watertight
- > Air pressure compensation valve
- > Temperature-resistant from - 30°C to +80° C
- > Padlock eyelets
- > Document compartment; tool boards made from dirt-repelling twin-wall PP sheet with tool pockets and tool straps
- > Lockable base tray can be individually divided using aluminium separator system
- > Ergonomic dual-component handle



00 21 36 LE



00 21 33 LE

00 21 37 LE

The "Robust" cases in comparison:

	Number of inserting options	Capacity litres	Max. load kg	Dimensions base tray mm (W x H x D)	Trolley function
"Robust23" 00 21 35 LE	49	23	25	470 x 370 x 190	–
"Robust26 Move" 00 21 33 LE	80	26,4	25	550 x 350 x 225	✓
"Robust34" 00 21 36 LE	93	34	25	510 x 419 x 215	–
"Robust45 Move" 00 21 37 LE	147	45	35	609 x 428 x 236	✓



Locking the case with robust tilt locks




With locking mechanism by means of a padlock (padlock not included in delivery)



Document compartment



Aluminium separators for individual division of the base tray



Secure fixing of the tool board prevents tools from falling out of the base



Pressure valve for ventilation and nameplate for individual identification



Also suitable as a standing or sitting aid

Our "Move" models also with trolley function

Smooth-running skater wheels



Extendable telescopic handle




Tool Case "Robust23" Electric

Small and robust: handy case with tools for professional electricians

- ▶ Equipped with 25 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the "Robust" series, see page 26



00 21 35

Content

12 40 200 KNIPEX		70 06 160 KNIPEX		98 52 KNIPEX	
13 86 200 KNIPEX		87 01 180 KNIPEX		Wera 16 parts	
16 95 01 KNIPEX		97 53 04 KNIPEX		Stabila	

Article No.	EAN				Nominal size	Quantity	g
00 21 35	4003773-084365	Tool Case "Robust23" Electric					6775
		MM	12 40 200	Self-Adjusting Insulation Stripper	KNIPEX	0.03–10.0 mm ²	1
		PATENTED	13 86 200	Pliers for Electrical Installation		Ø 15 mm / 50 mm ²	1
		MM PATENTED	16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool		Ø 8.0–13.0 mm	1
			70 06 160	Diagonal Cutter		160 mm	1
			87 01 180	KNIPEX Cobra® High-Tech Water Pump Pliers		180 mm	1
		MM	97 53 04	Self-Adjusting Crimping Pliers for wire ferrules with lateral access		0.08–10 + 16 mm ²	1
			98 52	Cable Knife	185 mm	1	
				Kraftform Compact VDE 16 Slim	Wera	1	
				Folding ruler Stabila series 400	Stabila	2000 mm	1
00 21 35 LE	077596	Tool Case "Robust23" empty					

Tool Case "Robust34" Electric

Medium-sized and robust: sturdy case with tools for professional electricians

- ▶ Equipped with 26 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the case, see page 26

With adjustable shoulder strap and convenient multi-component handle



00 21 36

Content

00 11 01 KNIPEX		13 86 200 KNIPEX		87 01 180 KNIPEX		Wera 16 parts	
08 26 145 KNIPEX		16 95 01 KNIPEX		97 53 04 KNIPEX		Stabila	
12 40 200 KNIPEX		70 06 160 KNIPEX		98 52 KNIPEX			

Article No.	EAN 4003773-				Nominal size	Quantity	g
00 21 36	082583	Tool Case "Robust34" Electric					8810
		00 11 01	KNIPEX TwinKey® Control Cabinet Keys	KNIPEX	92 mm	1	
		08 26 145	Needle-Nose Combination Pliers		145 mm	1	
		12 40 200	Self-Adjusting Insulation Stripper		0.03 – 10.0 mm ²	1	
		13 86 200	Pliers for Electrical Installation		Ø 15 mm / 50 mm ²	1	
		16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool		Ø 8.0 – 13.0 mm	1	
		70 06 160	Diagonal Cutter		160 mm	1	
		87 01 180	KNIPEX Cobra® High-Tech Water Pump Pliers		180 mm	1	
		97 53 04	Self-Adjusting Crimping Pliers for wire ferrules with lateral access		0.08–10 + 16 mm ²	1	
		98 52	Cable Knife		185 mm	1	
			Kraftform Compact VDE 16 Slim		Wera		
			Spirit level type 70 Electric	Stabila	430 mm	1	

00 21 36 LE 082576 Tool Case "Robust34" empty

Tool Case "Robust26 Move" Electric

- ▶ Equipped with 16 KNIPEX tools, a total of 22 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the case, see page 26



00 21 33 E

Content

00 11 01 KNIPEX		70 06 160 KNIPEX		98 25 01 SLS KNIPEX		Lyra	
08 26 185 KNIPEX		78 06 125 KNIPEX		98 20 35 SL KNIPEX		Picard	
12 52 195 KNIPEX		90 22 10 KNIPEX		98 20 55 SL KNIPEX		Stabila	
13 86 200 KNIPEX		97 53 14 KNIPEX		98 52 KNIPEX		Stabila	
16 95 01 KNIPEX		98 25 01 SL KNIPEX		KNIPEX			
26 26 200 KNIPEX		98 25 02 SL KNIPEX		Wera			
				9 Parts			

Article No.	EAN		Nominal size	Quantity	g
00 21 33 E	4003773-089094	Tool Case "Robust26 Move" Electric			10100
		00 11 01 KNIPEX TwinKey® Control Cabinet Keys	92 mm	1	
		08 26 185 Needle-Nose Combination Pliers	185 mm	1	
		12 52 195 KNIPEX PreciStrip16 Automatic Insulation Stripper	0.08–16 mm ²	1	
		13 86 200 Pliers for Electrical Installation	∅ 15 mm / 50 mm ²	1	
		16 95 01 SB KNIPEX ErgoStrip® Universal Stripping Tool	∅ 8.0–13.0 mm	1	
		26 26 200 Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		70 06 160 Diagonal Cutter	160 mm	1	
		78 06 125 Electronic Super Knips	125 mm	1	
		90 22 10 BK KNIPEX BiX Cutter for plastic pipes and sealing sleeves	72 mm	1	
		97 53 14 Self-Adjusting Crimping Pliers for wire ferrules with lateral access	0.08 – 16 mm ²	1	
		98 20 35 SL Screwdriver (Slim) for slotted screws	0.6 x 3.5 x 100 mm	1	
		98 20 55 SL Screwdriver (Slim) for slotted screws	1.0 x 5.5 x 125 mm	1	
		98 25 01 SL Screwdriver (Slim) for cross-recessed screws Pozidriv®	PZ1 x 80 mm	1	
		98 25 02 SL Screwdriver (Slim) for cross-recessed screws Pozidriv®	PZ2 x 100 mm	1	
		98 25 01 SLS Screwdriver (Slim) Plus/Minus Pozidriv®	PZ/S1 x 80 mm	1	
		98 52 Cable Knife	190 mm	1	
		Wooden folding rule type 1607, white	2000 mm	1	
		Set of hex key wrenches	Wera 1.5–10 mm	1	
		Deep hole marker	Lyra	1	
		Locksmith's hammer	Picard 300 g	1	
		Pocket Electric mini spirit level	Stabila 68 mm	1	
		Spirit level type 70	Stabila 30 cm	1	

00 21 33 LE 057543 Tool Case "Robust26 Move" empty

Tool Case "Robust26 Move" Plumbing

► Equipped with 12 KNIPEX tools, a total of 17 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the case, see page 26



00 21 33 S

Content

00 11 01 KNIPEX		90 31 02 KNIPEX		KNIPEX	
74 06 180 KNIPEX		90 22 10 KNIPEX		Wera 9 Parts	
86 03 300 KNIPEX		98 24 01 SL KNIPEX		Lyra	
87 01 180 KNIPEX		98 24 02 SL KNIPEX		Picard	
87 01 300 KNIPEX		98 20 35 SL KNIPEX		Stabila	
90 10 165 KNIPEX		98 20 55 SL KNIPEX			

Article No.	EAN			Nominal size	Quantity	Δg
00 21 33 S	4003773-	089100	Tool Case "Robust26 Move" Plumbing			9700
			00 11 01 KNIPEX TwinKey® Control Cabinet Keys	92 mm	1	
			74 06 180 High Leverage Diagonal Cutter	180 mm	1	
			86 03 300 Pliers Wrench	300 mm	1	
			87 01 180 KNIPEX Cobra® High-Tech Water Pump Pliers	180 mm	1	
			87 01 300	300 mm	1	
			90 10 165 BK KNIPEX CutiX Universal knife	165 mm	1	
			90 22 10 BK KNIPEX BiX Cutter for plastic pipes and sealing sleeves	72 mm	1	
			90 31 02 SB KNIPEX TubiX® Pipe cutter	180 mm	1	
			98 20 35 SL Screwdriver (Slim) for slotted screws	0.6 x 3.5 x 100 mm	1	
			98 20 55 SL	1.0 x 5.5 x 125 mm	1	
			98 24 01 SL Screwdriver (Slim) for cross-recessed screws Phillips®	PH1 x 80 mm	1	
			98 24 02 SL	PH2 x 100 mm	1	
			Wooden folding rule type 1607, white	2000 mm	1	
			Set of hex key wrenches	Wera 1.5–10 mm	1	
			Deep hole marker	Lyra 2.8 mm	1	
			Locksmith's hammer	Picard 300 g	1	
			Spirit level type 70	Stabila 30 cm	1	
00 21 33 LE	057543		Tool Case "Robust26 Move" empty			


Tool Case "Robust45 Move" Electric

Large and robust: travel case with a comprehensive range of tools for the mobile electrician

- ▶ Extensively equipped with 63 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the "Robust" series, see page 26

Gas pressure absorber in the hinge: convenient opening of the lid, with no risk of injury from the case closing inadvertently



00 21 37



With large, smooth rollers



Extendable telescopic handle

Content


00 11 01 KNIPEX		26 26 200 KNIPEX		97 53 04 KNIPEX		Wera	
08 26 145 KNIPEX		70 06 160 KNIPEX		98 52 KNIPEX		Picard	
12 52 195 SB KNIPEX		74 06 200 KNIPEX		98 2X XX SL 2 x KNIPEX		Rennsteig	
13 86 200 KNIPEX		86 03 180 KNIPEX		Wera 28 Parts		Stabila	
16 95 01 KNIPEX		87 01 180 KNIPEX		Wera 16 Parts		Stabila	



Handles on the left and right make it easy for two people to carry



With extendable telescopic handle for convenient transport - even on rough terrain



00 21 37 LE – Case without tools



Also suitable as a standing or sitting aid

Article No.	EAN 4003773-		Nominal size	Quantity	g
00 21 37	082606	Tool Case "Robust45 Move" Electric			14770
		(PATENTED) 00 11 01 KNIPEX TwinKey® Control Cabinet Keys	92 mm	1	
		(PATENTED) 08 26 145 Needle-Nose Combination Pliers	145 mm	1	
		1000V 12 52 195 SB KNIPEX PreciStrip16 Automatic Insulation Stripper	0.08 - 16 mm ²	1	
		1000V 13 86 200 Pliers for Electrical Installation	Ø 15 mm / 50 mm ²	1	
		(PATENTED) 16 95 01 SB KNIPEX ErgoStrip® Universal Stripping Tool	Ø 8.0 – 13.0 mm	1	
		1000V 26 26 200 Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		70 06 160 Diagonal Cutter	160 mm	1	
		74 06 200 High Leverage Diagonal Cutter	200 mm	1	
		86 03 180 Pliers Wrench	180 mm	1	
		87 01 180 KNIPEX Cobra® High-Tech Water Pump Pliers	180 mm	1	
		(PATENTED) 97 53 04 Self-Adjusting Crimping Pliers for wire ferrules with lateral access	0.08 – 10 + 16 mm ²	1	
		1000V 98 20 35 SL Screwdriver (Slim) for slotted screws	0.6 x 3.5 x 100 mm	1	
		1000V 98 25 01 SL Screwdriver (Slim) for cross-recessed screws Pozidriv®	PZ1 x 80 mm	1	
		1000V 98 52 Cable Knife	185 mm	1	
		1000V Kraftform Compact VDE 16 Slim		1	
		Joker open-end wrench	10 x 13 mm	1	
		8100 SA 8 Zyklus set of metal ratchets 28 parts	1/4"	1	
		Locksmith's hammer	300 g	1	
		Electrician's Chise	250 x 10 mm	1	
		Spirit level type 70 Electric	430 mm	1	
		Pocket Electric mini spirit level	68 mm	1	
00 21 37 LE	082590	Tool Case "Robust45 Move" empty			

Tool Case "Robust45 Move" Mechanic

All-round equipment for professional mechanics

- ▶ Equipped with 12 KNIPEX Tools, fully equipped with 90 brand tools, partly VDE-tested according to DIN EN/IEC 60900

For further benefits of the "Robust" series, see page 26

Gas pressure absorber in the hinge: convenient opening of the lid, with no risk of injury from the case closing inadvertently



00 21 37 M



With large, smooth rollers



Extendable telescopic handle

Content

00 11 01 KNIPEX		26 22 200 KNIPEX		87 01 250 KNIPEX		Picard	
70 02 160 KNIPEX		78 61 140 KNIPEX		Wera 20 x		Rennsteig	
74 02 200 KNIPEX		16 95 01 SB KNIPEX		Wera		Rennsteig	
71 31 200 KNIPEX		16 20 50 SB KNIPEX		Wera		Stabila	
26 12 200 KNIPEX		86 01 250 KNIPEX		Heyco		Stabila	

Article No.	EAN			Nominal size	Quantity	Δ g
00 21 37 M	4003773-	086239	Tool Case "Robust45 Move" Mechanic			17400
			00 11 01 KNIPEX TwinKey® Control Cabinet Keys	92 mm	1	
			16 20 50 SB Folding Knife for Electricians	120 mm	1	
			16 95 01 SB KNIPEX ErgoStrip® Universal Stripping Tool	Ø 8.0 – 13.0 mm	1	
			26 12 200 Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
			26 22 200 Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
			70 02 160 Diagonal Cutter	160 mm	1	
			71 31 200 KNIPEX CoBolt® Compact Bolt Cutter	Ø 5.2 mm	1	
			74 02 200 High Leverage Diagonal Cutter	200 mm	1	
			78 61 140 Electronic Super Knips XL	140 mm	1	
			86 01 250 Pliers Wrench	250 mm	1	
			87 01 250 KNIPEX Cobra® High-Tech Water Pump Pliers	250 mm	1	
			Set of hex key wrenches	1,5 - 10 mm	1	
			8100 SA 8 Zyklop set of metal ratchets 28 parts	1/4"	1	
			Screwdriver for slotted screws 335	0.6 x 3.5 x 100 mm	1	
			Screwdriver for slotted screws 335	0.8 x 4.0 x 100 mm	1	
			Slotted chisel slotted screws 932 A	1.0 x 5.5 x 100 mm	1	
			Slotted chisel slotted screws 932 A	1.2 x 7.0 x 125 mm	1	
			Slotted chisel slotted screws 932 A	1.6 x 9.0 x 150 mm	1	
			Screwdriver for Phillips® screws 917 SPH	PH2 x 100 mm	1	
			Screwdriver for Phillips® screws 350 PH	PH1 x 80 mm	1	
			Screwdriver for Phillips® screws 350 PH	PH3 x 150 mm	1	
			Screwdriver for Pozidriv® screws 355 PZ	PZ1 x 80 mm	1	
			Screwdriver for Pozidriv® screws 355 PZ	PZ2 x 100 mm	1	
			Screwdriver for Pozidriv® screws 355 PZ	PZ3 x 150 mm	1	
			Micro Screwdrivers for slotted screws 2035	0.4 x 2.5 x 80 mm	1	
			Micro Screwdrivers for slotted screws 2035	0.23 x 1.5 x 60 mm	1	
			Micro Screwdrivers for cross recessed Phillips® screws 2050 PH	PH0 x 60 mm	1	
			Micro Screwdrivers for cross recessed Phillips® screws 2050 PH	PH00 x 60 mm	1	
			TORX® Screwdriver 367	TX10 x 80	1	
			TORX® Screwdriver 367	TX15 x 80	1	
			TORX® Screwdriver 367	TX20 x 100	1	
			TORX® Screwdriver 367	TX25 x 100	1	
			TORX® Screwdriver 367	TX30 x 115	1	
			Combination wrench sets	6/8/10/11/12/13/14/15/16/17/18/19 mm	1	
			Locksmith's hammer	300 g	1	
			Pin punch set	Ø 3 mm/4 mm/5 mm/6 mm/8 mm/10 mm	1	
			Automatic punch	130 mm	1	
			Wooden folding rule type 1607, white	2000 mm	1	
			Spirit level type 70TM	22 cm	1	
00 21 37 LE	082590		Tool Case "Robust45 Move" empty			

Tool Case "Vision24" Electric

Well sorted and tidy: the standard tool case with versatile basic equipment

- ▶ With 20 brand tools, partly VDE tested according to DIN EN/IEC 60900
 - ▶ Max. load: 20 kg
 - ▶ Volume: 24 litres
- > Flexible options due to the individual partitioning of the inserts in the 60 mm deep base tray and its cover plate with six large tool compartments
 - > Tough ratchet hinges hold the lid open where necessary despite the deadweight of the tools
 - > Sturdy, ergonomic carrying handle, snaps into place at a 90° angle
 - > Removable tool board with 15 tool pockets on the bottom side and six tool pockets as well as a clamp compartment (400 mm wide) on the cover side, held by a push button
 - > Two lockable steel flip locks protect the case content from theft
 - > With circumferential double aluminium frame
 - > Heavy duty ABS material, black
 - > Cover and tool boards made from dirt-repellent PP twin-wall sheets
 - > Dimensions, exterior (W x H x D): 480 x 380 x 200 mm; dimensions, interior (W x H x D): 460 x 310 x 190 mm



00 21 20

00 21 20 LE
Case without tools



Article No.	EAN 4003773-				Nominal size	Quantity	g
00 21 20	052166	Tool Case "Vision24" Electric					7055
		03 06 180	Combination Pliers	KNIPEX	180 mm	1	
		12 40 200	Self-Adjusting Insulation Stripper		0.03–10.0 mm ²	1	
		16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool		Ø 8.0–13.0 mm	1	
		26 16 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)		200 mm	1	
		26 26 200			200 mm	1	
		70 06 160	Diagonal Cutter		160 mm	1	
		74 06 200	High Leverage Diagonal Cutter		200 mm	1	
		86 03 180	Pliers Wrench		180 mm	1	
		87 03 250	KNIPEX Cobra® High-Tech Water Pump Pliers		250 mm	1	
		95 16 200	Cable Shears with twin cutting edge		Ø 20 mm / 70 mm ²	1	
		98 20 25	Screwdrivers for slotted screws		0.4 x 2.5 x 75 mm	1	
		98 20 40 SL	Screwdriver (Slim) for slotted screws		0.8 x 4 x 100 mm	1	
		98 20 55 SL			1.0 x 5.5 x 125 mm	1	
		98 20 65 SL			1.2 x 6.5 x 150 mm	1	
		98 24 01 SL	Screwdriver (Slim) for cross-recessed screws Phillips®		PH1 x 80 mm	1	
		98 24 02 SL			PH2 x 100 mm	1	
		98 25 01 SL	Screwdriver (Slim) for cross-recessed screws Pozidriv®		PZ1 x 80 mm	1	
		98 25 02 SL			PZ2 x 100 mm	1	
		98 52	Cable Knife		185 mm	1	
			Voltage detector, single-pole 247		Wera	0.5 x 3.0 x 70 mm	1

00 21 20 LE 044567 Tool Case "Vision24" empty

Tool Case "Vision27" Plumbing

**Flexible and extensively equipped:
large plumbing range for professionals**

- ▶ Equipped with 52 brand quality tools, some VDE tested according to DIN EN 60900
- ▶ Max. load: 20 kg
- ▶ Volume: 27 litres
- > For extensive plumbing and installation work
- > Flexible options due to the individual partitioning of the inserts in the 60 mm deep base tray and its cover plate with six large tool compartments
- > Tough ratchet hinges hold the lid open where necessary despite the deadweight of the tools
- > Sturdy, ergonomic carrying handle, snaps into place at a 90° angle
- > Removable tool board with 15 tool pockets on the bottom side and six tool pockets as well as a clamp compartment (400 mm wide) on the cover side, held by a push button
- > Two lockable steel flip locks protect the case content from theft
- > With circumferential double aluminium frame
- > Heavy duty ABS material, black
- > Cover and tool boards made from dirt-repellent PP twin-wall sheets
- > Dimensions, exterior (W x H x D): 480 x 380 x 200 mm; dimensions, interior (W x H x D): 460 x 310 x 190 mm



00 21 21 HK S

Article No.	EAN 4003773-			Nominal size	Quantity	g
00 21 21 HK S	080671	Tool Case "Vision27" Plumbing				9965
		(PATENTED) 00 11 01	KNIPEX TwinKey® Control Cabinet Keys	92 mm	1	
		26 16 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		74 06 180	High Leverage Diagonal Cutter	180 mm	1	
		86 03 250	Pliers Wrench	250 mm	1	
		87 01 250	KNIPEX Cobra® High-Tech Water Pump Pliers	250 mm	1	
		87 01 400	KNIPEX Cobra® XL Pipe Wrench and Water Pump Pliers	400 mm	1	
			Set of hex key wrenches	1.5 - 10 mm	1	
			Joker open-end wrench	10 x 13 mm	1	
			8100 SA 8 Zyklus set of metal ratchets 28 parts	1/4"	1	
			Voltage detector, single-pole 247	0.5 x 3.0 x 70 mm	1	
			Screwdrivers for slotted screws 160i	0.6 x 3.5 x 100 mm	1	
			Screwdriver, Kreuzschlitz Phillips® 162i PH	1.0 x 5.5 x 125 mm	1	
			Screwdrivers for Torx® screws 167 i	PH1 x 80 mm	1	
			Slotted chisel slotted screws 932 A	PH2 x 100 mm	1	
			Safety cutter knife	TX15 x 80 mm	1	
			Express key	TX20 x 80 mm	1	
			Locksmith's hammer	TX25 x 100 mm	1	
			Mason's Chisels	1.2 x 7.0 x 125	1	
			Spirit level type 70	1.6 x 9.0 x 150	1	
				18 mm	1	
				M 10	1	
				300 g	1	
				250 mm	1	
				30 cm	1	

Tool Case for Photovoltaics

- ▶ Equipped with tools for photovoltaics
- ▶ With Precision Insulation Stripper 12 12 11 with adapted blades for smaller stripping capacities 1.5 / 2.5 / 4.0 / 6.0 mm²
- ▶ With cable shears 95 16 165 for Cu cables up to Ø 15 mm

- > With Crimp System Pliers 97 43 200 A for exchangeable crimping dies; crimping pressure has been set precisely (calibrated) in the factory
- > Without crimping dies - please order separately (see ref. 97 49...) for individual assortment
- > With service tools (hexagonal key) for the change of crimping dies
- > Shock-resistant plastic case
- > Foam insert with recesses for tools, 2 crimping dies (not included) and 2 locators (not included)
- > Dimensions, exterior (W x H x D): 345 x 80 x 280 mm



97 91 01

Content

12 12 11 KNIPEX		95 16 165 KNIPEX		97 43 200 A KNIPEX	
--------------------	--	---------------------	--	-----------------------	--

Article No.	EAN 4003773-				Nominal size	Quantity	Δ g
97 91 01	070351	Tool Case for Photovoltaics					1964
		MM	12 12 11	Precision Insulation Stripper with adapted blades 1.5/2.5/4/6mm ²	1.5 – 6.0 mm ²	1	
		⚡ 1000V	95 16 165	Cable Shears	Ø 15 mm / 50 mm ²	1	
		MM	97 43 200 A	Crimp System Pliers for exchangeable crimping dies		1	
97 91 01 LE	088813	Tool Case for Photovoltaic empty					



Sets for Photovoltaics MC4

► Equipped with tools for photovoltaics

- > With Crimp System Pliers 97 43 200 A for exchangeable crimping dies; crimping pressure has been set precisely (calibrated) in the factory
- > With cable shears 95 16 165 for Cu cables up to Ø 15 mm
- > With service tools (hexagonal key) for the change of crimping dies
- > With set of mounting tools 97 49 66 2 to loosen and tighten cable glands of MC4 solar plugs and to open the locking of MC4 housing
- > Foam insert with recesses for tools, 2 crimping dies and 2 locators
- > Shock-resistant plastic case
- > Dimensions, exterior (W x H x D): 345 x 80 x 280 mm

97 91 04 V01

- > With crimping die 97 49 66 for solar cable connectors MC4 (Multi-Contact) 2.5 – 6.0 mm², locator 97 49 66 1

97 91 04 V02

- > With crimping die 97 49 71 for solar cable connectors MC4 (Multi-Contact) 4.0 – 10.0 mm², locator 97 49 71 1



97 91 04 V01

Content – 97 91 04 V01

12 12 11 KNIPEX		97 49 66 KNIPEX	
95 16 165 KNIPEX		97 49 66 1 KNIPEX	
97 43 200 A KNIPEX		97 49 66 2 KNIPEX	

Content – 97 91 04 V02

12 12 12 KNIPEX		97 49 71 KNIPEX	
95 16 165 KNIPEX		97 49 71 1 KNIPEX	
97 43 200 A KNIPEX		97 49 66 2 KNIPEX	

Article No.	EAN 4003773-		Nominal size	Quantity	g		
97 91 04 V01	088998	Tool Case for Photovoltaics for solar cable connectors MC4 (Multi-Contact)				2010	
			12 12 11	Precision Insulation Stripper with adapted blades 1.5/2.5/4/6mm ²	1.5 – 6.0 mm ²		1
			95 16 165	Cable Shears	Ø 15 mm / 50 mm ²		1
			97 43 200 A	Crimp System Pliers for exchangeable crimping dies			1
			97 49 66	Crimping die for solar cable connectors MC4 (Multi-Contact)	2.5 – 6.0 mm ²		1
			97 49 66 1	Locator for 97 49 66 (solar cable connectors MC4)			1
			97 49 66 2	Set of Mounting Tools for solar cable connectors MC4 (Multi-Contact)			1
97 91 04 V02	089001	Tool Case for Photovoltaics for solar cable connectors MC4 (Multi-Contact)				2010	
			12 12 12	Precision Insulation Stripper with adapted blades 4/6/10mm ²	4.0 – 10.0 mm ²		1
			95 16 165	Cable Shears	Ø 15 mm / 50 mm ²		1
			97 43 200 A	Crimp System Pliers for exchangeable crimping dies			1
			97 49 66 2	Set of Mounting Tools for solar cable connectors MC4 (Multi-Contact)			1
			97 49 71	Crimping die for solar cable connectors MC4 (Multi-Contact)	4.0 – 10.0 mm ²		1
	97 49 71 1	Locator for 97 49 71 (solar cable connectors MC4)		1			
97 91 01 LE	088813	Tool Case for Photovoltaics empty					

Compact Tool Case

17 parts

With insulated tools for works on electrical installations

- ▶ Equipped with a range of customary insulated KNIPEX tools for work on electrical systems
- ▶ All tools are tested one by one and meet the requirements of ASTM F1505 and IEC 60900

- > Shock-resistant plastic case
- > Foam insert with precise recesses for holding the pliers
- > Dimensions, exterior (W x H x D): 380 x 85 x 260 mm
- > Dimensions, interior (W x H x D): 335 x 70 x 230 mm
- > DIN EN 60900, IEC 60900



98 99 11

Content

03 07 200 KNIPEX		98 45 XXX 2 x KNIPEX	
70 07 160 KNIPEX		98 47 1X 7 x KNIPEX	
98 2X XX 4 x KNIPEX		98 52 KNIPEX	
98 42 KNIPEX			

Article No.	EAN 4003773-			Nominal size	Quantity	g
98 99 11	026624	Compact Tool Case				4055
		03 07 200	Combination Pliers	200 mm	1	
		70 07 160	Diagonal Cutter	160 mm	1	
		98 20 35	Screwdrivers for slotted screws	0.6 x 3.5 x 100 mm	1	
		98 20 40		0.8 x 4 x 100 mm	1	
		98 20 55		1.0 x 5.5 x 125 mm	1	
		98 24 00	Screwdriver for cross recessed screws Phillips®	PH0 x 60 mm	1	
		98 42	Reversible Ratchet with driving square 1/2"	1/2"	1	
		98 45 125	Extension Bar with internal/external square 1/2"	+ 125 mm	1	
		98 45 250		+ 250 mm	1	
		98 47 10	Hexagon Socket for hexagonal screws with internal square 1/2"	10 mm	1	
		98 47 11		11 mm	1	
		98 47 12		12 mm	1	
		98 47 13		13 mm	1	
		98 47 14		14 mm	1	
		98 47 17		17 mm	1	
		98 47 19		19 mm	1	
		98 52	Cable Knife	185 mm	1	
98 99 11 LE	028857	Compact Tool Case empty				

Compact Tool Case

26 parts

With insulated tools for works on electrical installations

- > Shock-resistant plastic case
- > Equipped with a range of insulated KNIPEX tools for works on electrical installations
- > Foam inserts with recesses for the tools
- > Fixable partition wall
- > Dimensions, exterior (W x H x D): 440 x 105 x 385 mm
- > DIN EN 60900, IEC 60900



Content

03 07 200 KNIPEX		98 40 KNIPEX	
70 07 160 KNIPEX		98 47 1X 7 x KNIPEX	
98 00 1X 7 x KNIPEX		98 52 KNIPEX	
98 2X XX 7 x KNIPEX		98 53 03 KNIPEX	

98 99 12

Article No.	EAN		Nominal size	Quantity	△ g
98 99 12	4003773-026631	Compact Tool Case			4710
		03 07 200 Combination Pliers	200 mm	1	
		70 07 160 Diagonal Cutter	160 mm	1	
		98 00 10	10 mm	1	
		98 00 11	11 mm	1	
		98 00 12	12 mm	1	
		98 00 13 Open-end wrench	13 mm	1	
		98 00 14	14 mm	1	
		98 00 17	17 mm	1	
		98 00 19	19 mm	1	
		98 20 25	0.4 x 2.5 x 75 mm	1	
		98 20 35	0.6 x 3.5 x 100 mm	1	
		98 20 40	0.8 x 4 x 100 mm	1	
		98 20 55	1.0 x 5.5 x 125 mm	1	
		98 24 00	PH0 x 60 mm	1	
		98 24 01 Screwdriver for cross recessed screws Phillips®	PH1 x 80 mm	1	
		98 24 02	PH2 x 100 mm	1	
		98 40 T-Handle Drive with driving square 1/2"	165 mm	1	
		98 47 10	10 mm	1	
		98 47 11	11 mm	1	
		98 47 12	12 mm	1	
		98 47 13 Hexagon Socket for hexagonal screws with internal square 1/2"	13 mm	1	
		98 47 14	14 mm	1	
		98 47 17	17 mm	1	
		98 47 19	19 mm	1	
		98 52 Cable Knife	185 mm	1	
		98 53 03 Stripping Knife	155 mm	1	
98 99 12LE	028154	Compact Tool Case empty			

Tool Box "RED" Electric Set 1

Versatile use: the small four-piece VDE tool range in a handy case

- > High-quality, versatile, shock-resistant plastic case
- > Foam insert with honeycomb structure for variable equipment
- > Pliers VDE-tested according to DIN EN/IEC 60900 1000V
- > External dimensions (W x H x D): 340 x 56 x 275 mm



00 20 15

Article No.	EAN 4003773-					Nominal size	Quantity	g
00 20 15	024804	Tool Box "RED" Electric Set 1						1430
			03 06 180	Combination Pliers	180 mm	1		
			11 06 160	Insulation Stripper with opening spring, universal	Ø 5.0 mm / 10.0 mm ²	1		
			26 16 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1		
			70 06 160	Diagonal Cutter	160 mm	1		
00 21 15 LE	045175	Tool Box "RED" empty						

Tool Box "RED" Electric Set 2

All you need, safely stored: seven-piece VDE tool set for electrical installation

- > High-quality, versatile, shock-resistant plastic case
- > Foam insert with honeycomb structure for variable equipment
- > All pliers and screwdrivers except water pump pliers VDE-tested according to DIN EN/IEC 60900
- > External dimensions (W x H x D): 340 x 56 x 275 mm



00 21 15

Article No.	EAN 4003773-					Nominal size	Quantity	g
00 21 15	042853	Tool Box "RED" Electric Set 2						1535
			03 06 180	Combination Pliers	KNIPEX	180 mm	1	
			26 16 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)		200 mm	1	
			70 06 160	Diagonal Cutter		160 mm	1	
			88 03 180	KNIPEX Alligator® Water Pump Pliers		180 mm	1	
				Screwdrivers for slotted screws 160i	Wera	0.4 x 2.5 x 80 mm	1	
				Screwdriver, Kreuzschlitz Phillips® 162i PH		0.8 x 4.0 x 100 mm	1	
				Screwdriver, Kreuzschlitz Phillips® 162i PH		PH1 x 80 mm	1	
00 21 15 LE	045175	Tool Box "RED" empty						

KNIPEX L-BOXX®

**Ideal storage and transport solution:
the KNIPEX L-BOXX®**

- ▶ With a total of 48 inserting options
- ▶ Strong box made of impact- and shock-proof ABS plastic
- ▶ Max. load: 25 kg

- > Splash-proof
- > Several boxes can be securely joined together
- > Flexible inner partitions
- > Handle can be lowered into a hollow in the lid to save space
- > Ergonomically shaped handles with additional moulded recess on the side for flexible, convenient handling
- > With two-piece tool board made from dirt-repellent PP twin-wall sheets
- > Tool boards are connected to each other using hook-and-loop
- > Cover part with ten pockets and ten elastic straps
- > Top of base part with seven pockets and tab for hanging up the tool board; can also be used to lift and set up the L-BOXX®
- > Bottom of base part with 7 pockets and 7 elastic straps
- > Strong box made of impact- and shock-proof ABS plastic



00 21 19 LB
Box empty, with Tool card



00 21 19 LB LE
Box empty, without Tool card



00 21 19 LB WK
Tool card, individually available



The boxes are stackable and can be securely joined together



A lock can be attached to secure the device (lock not included in delivery)



Washable tool boards

Article No.	EAN 4003773-		Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	⚖ g
00 21 19 LB	081616	KNIPEX L-BOXX®, empty, with Tool cards	442 (375)	151 (107)	357 (311)	2965
00 21 19 LB LE	081975	KNIPEX L-BOXX®, empty, without Tool cards	442 (375)	151 (107)	357 (311)	2566
00 21 19 LB WK	081609	Tool card	375	55	310	650

KNIPEX L-BOXX® Electric

Ideal storage and transport solution:
the KNIPEX L-BOXX® with a large range
of tools for professional electricians

- ▶ Equipped with 14 KNIPEX tools, a total of 63 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the L-BOXX series, see page 43



00 21 19 LB E

Content

00 11 01 KNIPEX		26 26 200 KNIPEX		97 53 04 KNIPEX		Wera	
08 26 145 KNIPEX		70 06 160 KNIPEX		98 52 KNIPEX		Picard	
12 52 195 KNIPEX		74 06 200 KNIPEX		98 2X XX 2 x KNIPEX		Rennsteig	
13 86 200 KNIPEX		86 03 180 KNIPEX		Wera 16 Parts		Stabila	
16 95 01 KNIPEX		87 01 180 KNIPEX		Wera 28 Parts		Stabila	

Article No.	EAN 4003773-					Nominal size	Quantity	g
00 21 19 LB E	081623	KNIPEX L-BOXX® Electric						7495
		00 11 01	KNIPEX TwinKey® Control Cabinet Keys	KNIPEX	92 mm	1		
		08 26 145	Needle-Nose Combination Pliers		145 mm	1		
		12 52 195 SB	KNIPEX PreciStrip16 Automatic Insulation Stripper		0.08 - 16 mm ²	1		
		13 86 200	Pliers for Electrical Installation		Ø 15 mm / 50 mm ²	1		
		16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool		Ø 8.0 – 13.0 mm	1		
		26 26 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)		200 mm	1		
		70 06 160	Diagonal Cutter		160 mm	1		
		74 06 200	High Leverage Diagonal Cutter		200 mm	1		
		86 03 180	Pliers Wrench		180 mm	1		
		87 01 180	KNIPEX Cobra® High-Tech Water Pump Pliers		180 mm	1		
		97 53 04	Self-Adjusting Crimping Pliers for wire ferrules with lateral access		0.08–10 + 16 mm ²	1		
		98 20 35 SL	Screwdriver (Slim) for slotted screws		0.6 x 3.5 x 100 mm	1		
		98 25 01 SL	Screwdriver (Slim) for cross-recessed screws Pozidriv®		PZ 1	1		
		98 52	Cable Knife		185 mm	1		
			Joker open-end wrench	10 x 13 mm	1			
			8100 SA 8 Zyklop set of metal ratchets 28 parts	1/4"	1			
			VDE interchangeable blades, 16 parts, slim		1			
			Locksmith's hammer	Picard	300 g	1		
			Electrician's Chise	Rennsteig	250 x 10 mm	1		
			Spirit level type 70 Electric	Stabila	430 mm	1		
			Pocket Electric mini spirit level	Stabila	68 mm	1		

00 21 19 LB	081616	KNIPEX L-BOXX®, empty, with Tool card
00 21 19 LB LE	081975	KNIPEX L-BOXX®, empty, without Tool card
00 21 19 LB WK	081609	Tool card

KNIPEX L-BOXX® Plumbing

Ideal storage and transport solution:
the KNIPEX L-BOXX® with a large range of tools
for the plumbing, heating and air-conditioning
professional

- ▶ Equipped with 13 KNIPEX tools, a total of 52 brand tools, partly VDE-tested according to DIN EN 60900

For further benefits of the L-BOXX series, see page 43



00 21 19 LB S

Content

00 11 01 KNIPEX		87 01 400 KNIPEX		Wera 9 Parts		Rennsteig	
26 16 200 KNIPEX		98 2X XX 7 x KNIPEX		Heyco		Stabila	
74 06 180 KNIPEX		Wera		Heyco		Stabila	
86 03 250 KNIPEX		Wera 28 Parts		Picard		Zenten	
87 01 250 KNIPEX		Wera		Rennsteig			

Article No.	EAN 4003773-	KNIPEX L-BOXX® Plumbing		Nominal size	Quantity	g
00 21 19 LB S	081630	(PATENTED)	00 11 01 KNIPEX TwinKey® Control Cabinet Keys	92 mm	1	9170
			26 16 200 Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
			74 06 180 High Leverage Diagonal Cutter	180 mm	1	
			86 03 250 Pliers Wrench	250 mm	1	
			87 01 250 KNIPEX Cobra® High-Tech Water Pump Pliers	250 mm	1	
			87 01 400 KNIPEX Cobra® XL Pipe Wrench and Water Pump Pliers	400 mm	1	
			98 20 35 Screwdrivers for slotted screws	0.6 x 3.5 x 100 mm	1	
			98 20 55	1.0 x 5.5 x 125 mm	1	
			98 24 01 Screwdriver for cross recessed screws Phillips®	PH1 x 80 mm	1	
			98 24 02	PH2 x 100 mm	1	
			98 26 15	TX15 x 80 mm	1	
			98 26 20 Screwdrivers for Torx® screws	TX20 x 80 mm	1	
			98 26 25	TX25 x 100 mm	1	
			Set of hex key wrenches	1.5 - 10 mm	1	
			Joker open-end wrench	10 x 13 mm	1	
			8100 SA 8 Zyklop set of metal ratchets 28 parts	1/4"	1	
			Voltage detector, single-pole 247	0.5 x 3.0 x 70 mm	1	
			Safety cutter knife	18 mm	1	
			Express key	M 10	1	
			Locksmith's hammer	300 g	1	
			Mason's Chisels	250 mm	1	
			Electrician's Chise	250 x 10 mm	1	
			Spirit level type 70	30 cm	1	
			Folding ruler Stabila series 400	2000 mm	1	
			Pipe cutter	3 - 35 mm / 1/8 - 1 1/2"	1	

00 21 19 LB	081616	KNIPEX L-BOXX®, empty, with Tool card
00 21 19 LB LE	081975	KNIPEX L-BOXX®, empty, without Tool card
00 21 19 LB WK	081609	Tool card

Tool Bags and Sets

Tools always at the right place



Tool Bag "Classic"

- > Light design made of hard-wearing, reinforced polyester fabric
- > Front additionally reinforced with aluminium brackets
- > Semi-fold-out front with adjustable loops and exterior document compartment
- > With galvanized steel base tray
- > With carrying handle and adjustable shoulder strap



00 21 02 LE

Article No.	EAN 4003773-	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	⚖ g
00 21 02 LE	057499	480 (430)	380 (310)	180 (170)	2970

Tool Bag "Classic" Electric

Tried-and-tested: the handy tool bag with tool equipment

- ▶ Equipped with 23 brand tools, partly VDE-tested according to DIN EN 60900



00 21 02 EL

Article No.	EAN 4003773-				Nominal size	Quantity	⚖ g
00 21 02 EL	081951	Tool Bag "Classic" Electric					6820
			03 06 180	Combination Pliers	180 mm	1	
			11 06 160	Insulation Stripper with opening spring, universal	Ø 5.0 mm / 10.0 mm ²	1	
			16 20 165 SB	Stripping Tool with scalpel blade	Ø 8.0 – 28.0 mm	1	
			16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool	Ø 8.0 – 13.0 mm	1	
			26 16 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	160 mm	1	
			70 06 160	Diagonal Cutter	160 mm	1	
			98 20 25	Screwdrivers for slotted screws	0.4 x 2.5 x 75 mm	1	
			98 20 35 SL	Screwdriver (Slim) for slotted screws	0.6 x 3.5 x 100 mm	1	
			98 20 55 SL		1.0 x 5.5 x 125 mm	1	
			98 20 65 SL		1.2 x 6.5 x 150 mm	1	
			98 24 01 SL	Screwdriver (Slim) for cross-recessed screws Phillips®	PH1 x 80 mm	1	
			98 24 02 SL		PH2 x 100 mm	1	
			98 52	Cable Knife	185 mm	1	
				Voltage detector, single-pole	Wera	1	
				PUK®-Junior Hacksaw	Haunstetter	150 x 240 mm	1
				Painter's spatula 40 mm, wood	Maurerfreund	40 mm	1
				Metre ruler (yardstick)		2 m	1
				Flat brush	Picard	40 mm	1
				Plaster bowl		127 x 94	1
				Chipping hammer		800 g	1
				Mason's Chisels	Rennsteig	300 mm	1
				Electrician's Chise		250 x 10 mm	1
				Locksmith's hammer	Ruthe	300 g	1
00 21 02 LE	057499	Tool Bag "Classic" empty					

Tool Bag "Stretched"

Handy, but roomy: the tool bag for long tools

- > Made of hard-wearing polyester fabric
- > For tools up to 450 mm in length
- > With two compartments on the back
- > With carrying handle and adjustable shoulder strap
- > Closing strap made of leather
- > Bag without tool



00 21 07 LE

Article No.	EAN 4003773-	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	⚖ g
00 21 07 LE	071358	555 (530)	200 (190)	175 (165)	1760

Tool Bag "LightPack"

Lightweight and durable, securely locked but quick to open: good for the service vehicle, good for the boot

- > Can be opened from both sides
- > Made from tough polyester fabric, with zip fasteners and hook-and-loop fastener
- > Tool loops inside
- > Plastic base tray
- > Steel handle with softgrip
- > Shoulder strap (can also be used as belt)
- > Max. load: 20 kg
- > Bag without tool



00 21 08 LE



Article No.	EAN 4003773-	Dimension exterior width mm	Dimension exterior height mm	Dimension exterior depth mm	⚖ g
00 21 08 LE	077787	480	400	300	2800

Tool Bag "Service"

Everything you need: store your tools and notebook safely

- > Lined inside pouch for notebook (max. 19") and DIN A4 documents; also with DIN A4 zipped compartment
- > 90° fold-out front pouch with 8 tool pockets and one small inside pouch
- > Reverse side of the front pouch with 5 tool pouches and 3 pen pouches
- > 1 removable tool board with 8 tool pockets on the front and 2 rows of elastic straps on the back
- > Splash-water-protected bottom
- > Adjustable shoulder belt with quick-release fastener
- > With two carry loops
- > Made of hard-wearing polyester fabric
- > Bag without tool



00 21 10 LE

Article No.	EAN 4003773-	Dimension exterior width mm	Dimension exterior height mm	Dimension exterior depth mm	⚖ g
00 21 10 LE	074472	440	180	320	2700

Tool Bag "Compact"

Everything organised: tools well stored

- ▶ Compact tool case for the service technician
- ▶ With a total of 15 inserting options

- > Suitable as an insert for: "Basic" 00 21 05 LE, "BIG Basic Move" 00 21 06 LE, "BIG Twin Move" 00 21 41 LE, "BIG Twin" 00 21 42 LE, "BIG Twin Move RED" 98 99 15 LE and other popular tool cases
- > With 8 tool pouches and 7 tool straps
- > Slip-through back strap to attach to a trolley
- > Bag without tools
- > Made from tough polyester fabric, with zip fastener



00 21 11 LE



"BIG Twin Move"
see page 22

Article No.	EAN 4003773-	Dimension exterior width mm	Dimension exterior height mm	Dimension exterior depth mm	⚖ g
00 21 11 LE	077718	410	60	290	450

Tool Bag "Compact" Electric

- ▶ Equipped with 12 KNIPEX tools, a total of 12 brand tools, partly VDE-tested according to DIN EN 60900
- ▶ With a total of 15 inserting options

- > Compact tool case for the service technician
- > Suitable as an insert for: "Basic" 00 21 05 LE, "BIG Basic Move" 00 21 06 LE, "BIG Twin Move" 00 21 41 LE, "BIG Twin" 00 21 42 LE, "BIG Twin Move RED" 98 99 15 LE and other popular tool cases
- > With 8 tool pouches and 7 tool straps
- > Slip-through back strap to attach to a trolley
- > Made from tough polyester fabric, with zip fastener
- > Dimensions exterior (W x H x D): 410 x 60 x 290 mm



00 21 11

Content

12 40 200 KNIPEX		70 06 160 KNIPEX		97 53 04 KNIPEX	
13 86 200 KNIPEX		78 06 125 KNIPEX		98 2X XX SL 4 x KNIPEX	
16 95 01 KNIPEX		87 01 250 KNIPEX		98 52 KNIPEX	

Article No.	EAN		Nominal size	Quantity	g
00 21 11	4003773-084532	Tool Bag "Compact" Electric			2975
		12 40 200 Self-Adjusting Insulation Stripper	0.03 – 10.0 mm ²	1	
		13 86 200 Pliers for Electrical Installation	Ø 15 mm / 50 mm ²	1	
		16 95 01 SB KNIPEX ErgoStrip® Universal Stripping Tool	Ø 8.0 – 13.0 mm	1	
		70 06 160 Diagonal Cutter	160 mm	1	
		78 06 125 Electronic Super Knips VDE	125 mm	1	
		87 01 250 KNIPEX Cobra® High-Tech Water Pump Pliers	250 mm	1	
		97 53 04 Self-Adjusting Crimping Pliers for wire ferrules with lateral access	0,08 – 10 + 16 mm ²	1	
		98 20 35 SL Screwdriver (Slim) for slotted screws	0.6 x 3.5 x 100 mm	1	
		98 24 02 SL Screwdriver (Slim) for cross-recessed screws Phillips®	PH2 x 100 mm	1	
		98 25 01 SL Screwdriver (Slim) for cross-recessed screws Pozidriv®	PZ1 x 80 mm	1	
		98 25 02 SL Screwdriver (Slim) for cross-recessed screws Pozidriv®	PZ2 x 100 mm	1	
		98 52 Cable Knife	185 mm	1	
00 21 11 LE	077718	Tool Bag "Compact" empty			

Tool bags for working at heights

Reliable companion: keep tools and accessories protected and perfectly organised when climbing

► 11 steel D-rings: 8 for attaching tethered tools and 3 to attach the bag to your climbing equipment – also suitable for left-handers

- > Two external metal retaining clips for cordless power tools and 18 internal elastic loops
- > Multifunctional lid: rolls away for easy access to tools and hook-and-loop patch for individual labelling
- > Removable shoulder strap for comfortable transport (not to be used when at heights)
- > Strong synthetic fibres, dirt and splash-proof due to rubber lining
- > Plastic-reinforced base plate with five rubber feet
- > To meet regulations while working at heights, for example industrial climbing, arborists, rescue services, at sea, etc.
- > When working at heights, all transported objects must be individually secured to the bag using suitable tethers, for example with the drop protection set 00 50 04 T BK
- > No PPE (personal protective equipment): not suitable for personal safety!

00 50 50 T LE

- > Holds a variety of items: divided main compartment, document/tablet compartment (A5/10") including pen holders and four side pockets
- > Volume approx. 12 litres, outer dimensions H x W x D approx. 370 x 250 x 150 mm, weight when empty approx. 1400 g
- > Independently certified safety: reliably loadable up to 10 kg

00 50 51 T LE

- > Holds a variety of items: divided main compartment, document/tablet compartment (A4/14") including pen holders and four side pockets
- > Volume approx. 17 litres, outer dimensions H x W x D approx. 470 x 250 x 150 mm, weight when empty approx. 1600 g
- > Independently certified safety: reliably loadable up to 15 kg



00 50 50 T LE



00 50 51 T LE




Document/laptop compartment



Hook-and-loop patch for individual labelling



Multifunctional lid: rolls away for easy access



Pocket for e.g. water bottle



Double-tested safety according to ANSI ISEA 121-2018 and by the independent test laboratory VPA Remscheid

Article No.	EAN	Width mm	Height mm	Depth mm	⚖️ g
00 50 50 T LE	4003773-089032	250	300	150	1400
00 50 51 T LE	4003773-089049	250	470	150	1600

Tool Roll

Essential for work on electrical systems: 15-piece basic tool kit in practical roll-up bag

- > Tool roll made of hard-wearing polyester fabric
- > With practical, adjustable quick release fastener
- > Equipped with a range of insulated KNIPEX tools for works on electrical installations
- > Dimensions, open (L x H): 850 x 305 mm



98 99 13

Article No.	EAN 4003773-				Nominal size	Quantity	g
98 99 13	026648	Tool Roll					2715
			03 07 200	Combination Pliers	200 mm	1	
			11 07 160	Insulation Stripper with opening spring, universal	Ø 5.0 mm / 10.0 mm ²	1	
			26 17 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
			70 07 160	Diagonal Cutter	160 mm	1	
			95 17 200	Cable Shears with twin cutting edge	Ø 20 mm / 70 mm ²	1	
			98 00 10	Open-end wrench	10 mm	1	
			98 00 13		13 mm	1	
			98 00 14		14 mm	1	
			98 00 17		17 mm	1	
			98 00 19		19 mm	1	
			98 20 25	Screwdrivers for slotted screws	0.4 x 2.5 x 75 mm	1	
			98 20 40		0.8 x 4.0 x 100 mm	1	
			98 20 55		1.0 x 5.5 x 125 mm	1	
			98 20 65		1.2 x 6.5 x 150 mm	1	
			98 52	Cable Knife	185 mm	1	
98 99 13 LE	028888	Tool Roll empty 15 parts					

Tool Roll

Handy, ideally equipped: eleven-piece set of tools for telecommunications and electrical engineers

- > For telecommunications and electrical engineers
- > Tool roll made of hard-wearing polyester fabric
- > With practical, adjustable quick release fastener
- > Contains eight pliers and three screwdrivers
- > Pliers with chrome-plated heads and two-colour dual component handles
- > Screwdrivers VDE tested according to DIN EN/IEC 60900 1000V
- > Dimensions, open (L x H): 450 x 290 mm



00 19 41

Article No.	EAN 4003773-				Nominal size	Quantity	g
00 19 41	024729	Tool Roll					1695
			03 05 160	Combination Pliers	160 mm	1	
			11 05 160	Insulation Stripper with opening spring, universal	Ø 5.0 mm / 10.0 mm ²	1	
			25 05 160	Snipe Nose Side Cutting Pliers (Radio Pliers)	160 mm	1	
			30 15 160	Long Nose Pliers	160 mm	1	
			30 35 160		160 mm	1	
			31 15 160	Flat Nose Pliers (Needle-Nose Pliers)	160 mm	1	
			67 05 140	High Leverage End Cutting Nipper	140 mm	1	
			70 05 140	Diagonal Cutter	140 mm	1	
			98 20 25	Screwdrivers for slotted screws	0.4 x 2.5 x 75 mm	1	
			98 20 40		0.8 x 4.0 x 100 mm	1	
			98 24 01	Screwdriver for cross recessed screws Phillips®	PH1 x 80 mm	1	
00 19 41 LE	035930	Tool Roll empty 13 parts					

Set of Pliers Wrenches

All-purpose tool in a set: pliers in space-saving roll-up bag

- > Tool roll made of hard-wearing polyester fabric
- > With hook-and-loop fastener
- > Equipped with pliers wrenches in five different lengths from 125 to 300 mm
- > Dimensions, open (L x H): 430 x 325 mm



00 19 55 S4



00 19 55 S6



00 19 55 S7

Article No.	EAN 4003773-			g
00 19 55 S4	077817	▱	Pliers Wrench-Set, 5 Parts (1x 86 03 125, 1x 86 03 150, 1x 86 03 180, 1x 86 03 250, 1x 86 03 300)	1925
00 19 55 S6	086505	▱	Pliers Wrench-Set, 3 Parts (1x 86 03 125, 1x 86 03 180, 1x 86 03 250)	1030
00 19 55 S7	086512	▱	Pliers Wrench-Set, 3 Parts (1x 86 03 150, 1x 86 03 250, 1x 86 03 300)	1520
00 19 55 S4 LE	077824		Tool roll for pliers wrenches, empty, 6 compartments	260
00 19 55 S6 LE	086482		Tool roll for pliers wrenches, empty, 4 compartments	220

KNIPEX Cobra® Set

Gripping set for professionals: five KNIPEX Cobra® pliers in hard-wearing roll-up bag

- > High-quality roll-up bag made from durable polyester fabric
- > With hook-and-loop fastener
- > Equipped with KNIPEX Cobra® high-tech water pump pliers in five different lengths from 125 to 300 mm
- > Dimensions, open (L x H): 430 x 325 mm



00 19 55 S5



00 19 55 S8



00 19 55 S9

Article No.	EAN 4003773-			g
00 19 55 S5	082613	▱	KNIPEX Cobra®-Set, 5 Parts (1x 87 01 125, 1x 87 01 150, 1x 87 01 180, 1x 87 01 250, 1x 87 01 300)	1567
00 19 55 S8	086529	▱	KNIPEX Cobra®-Set, 3 Parts (1x 87 01 125, 1x 87 01 180, 1x 87 01 250)	1255
00 19 55 S9	086536	▱	KNIPEX Cobra®-Set, 3 Parts (1x 87 01 150, 1x 87 01 250, 1x 87 01 300)	1255
00 19 55 S5 LE	082620		Tool roll for KNIPEX Cobra®, empty, 6 compartments	260
00 19 55 S8 LE	086499		Tool roll for KNIPEX Cobra®, empty, 4 compartments	220

Circlip Pliers Sets in roll case

Compactly packed: four-piece circlip plier sets in practical roll-up bag

- > Tool roll made of hard-wearing polyester fabric
- > With practical, adjustable quick release fastener
- > Dimensions, open (L x H): 315 x 275 mm



00 19 56



00 19 57



00 19 56 V01




00 19 57 V01

Article No.	EAN 4003773-		Form	Capacity Ø mm	Tips Ø mm	Quantity	g		
00 19 56	030973	Set of Circlip Pliers					720		
		⊙	44 11 J2	Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	19.0 – 60.0		1.8	1
		⊙ ∠90°	44 21 J21		DIN 5256 D; 90° angled jaws	19.0 – 60.0		1.8	1
		⊙ MM	46 11 A2	Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	19.0 – 60.0		1.8	1
		⊙ MM ∠90°	46 21 A21		DIN 5254 B; 90° angled jaws	19.0 – 60.0	1.8	1	
00 19 56 V01	081548	Set of Circlip Pliers					635		
		⊙	44 11 J1	Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	12.0 – 25.0		1.3	1
			44 11 J2			19.0 – 60.0		1.8	1
		⊙ MM	46 11 A1	Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	10.0 – 25.0		1.3	1
	46 11 A2	19.0 – 60.0	1.8			1			
00 19 57	050056	Set of Circlip Pliers					725		
		⊙	48 11 J1	Precision Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	12.0 – 25.0		1.3	1
			48 11 J2			19.0 – 60.0		1.8	1
		⊙ MM	49 11 A1	Precision Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	10.0 – 25.0		1.3	1
	49 11 A2	19.0 – 60.0	1.8			1			
00 19 57 V01	081555	Set of Circlip Pliers-Set					885		
		⊙	48 11 J2	Precision Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	19.0 – 60.0		1.8	1
		⊙ ∠90°	48 21 J21		DIN 5256 D; 90° angled jaws	19.0 – 60.0		1.8	1
		⊙ MM	49 11 A2	Precision Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	19.0 – 60.0		1.8	1
		⊙ MM ∠90°	49 21 A21		DIN 5254 B; 90° angled jaws	19.0 – 60.0	1.8	1	
00 19 56 LE	035954	Tool Bag empty 4 compartments							

Circlip Pliers Sets in roll case

Handy storage: eight-piece range in space-saving roll-up bag

- > Tool roll made of hard-wearing polyester fabric
- > With practical, adjustable quick release fastener
- > Dimensions, open (L x H): 610 x 240 mm



00 19 58 V01



00 19 58 V02

Article No.	EAN 4003773-			Form	Capacity Ø mm	Tips Ø mm	Quantity	△ g	
00 19 58 V01	081562	Set of Circlip Pliers						1190	
		⊙	44 11 J1	Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	12.0 – 25.0	1.3		1
			44 11 J2			19.0 – 60.0	1.8		1
		⊙ ∠90°	44 21 J11		DIN 5256 D; 90° angled jaws	12.0 – 25.0	1.3		1
			44 21 J21			19.0 – 60.0	1.8		1
		⊙ MM	46 11 A1	Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	10.0 – 25.0	1.3		1
			46 11 A2			19.0 – 60.0	1.8		1
		⊙ MM ∠90°	46 21 A11		DIN 5254 B; 90° angled jaws	10.0 – 25.0	1.3		1
			46 21 A21			19.0 – 60.0	1.8		1
		00 19 58 V02	081579	Set of Circlip Pliers					
⊙	48 11 J1			Precision Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	12.0 – 25.0	1.3	1	
	48 11 J2					19.0 – 60.0	1.8	1	
⊙ ∠90°	48 21 J11				DIN 5256 D; 90° angled jaws	12.0 – 25.0	1.3	1	
	48 21 J21					19.0 – 60.0	1.8	1	
⊙ MM	49 11 A1			Precision Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	10.0 – 25.0	1.3	1	
	49 11 A2					19.0 – 60.0	1.8	1	
⊙ MM ∠90°	49 21 A11				DIN 5254 B; 90° angled jaws	10.0 – 25.0	1.3	1	
	49 21 A21					19.0 – 60.0	1.8	1	
00 19 58 LE	081920			Tool Bag empty 8 compartments					

Precision Tweezers Set

5 parts

► Optimum combination: the tweezer sets come in various combinations in a high-quality tool roll for safe transport and damage-free storage

> Five high-quality sets of tweezers: Precision Tweezers, Universal Tweezers, SMD-, ESD, Plastic and Insulated Tweezers

> Two different tool rolls (VDE set with 5 compartments; others with 7 compartments)

92 00 05 ESD Plastic Tweezers Set ESD

> DIN EN 61340 -5-1

92 00 04 Universal Tweezers Set

> Insulated

> DIN EN 60900, IEC 60900

92 00 01 ESD/92 00 05 ESD

> DIN EN 61340 -5-1



92 00 02































92 00 03



92 00 04



92 00 05 ESD

Article No.	EAN 4003773-				Quantity	△ g	
92 00 01 ESD	087038	Universal Tweezers Set ESD			1	180	
		 	92 28 69 ESD	Universal Tweezers ESD			1
			92 28 70 ESD				1
			92 28 71 ESD				1
		  $\angle 35^\circ$	92 38 75 ESD				1
 	92 58 74 ESD	1					
92 00 02	087021	Precision Tweezers Set			1	175	
			92 21 01	Precision Tweezers			1
			92 21 02				1
			92 21 03				1
		 $\angle 45^\circ$	92 31 01				1
	92 51 01	1					
92 00 03	087045	SMD Precision Tweezers Set			1	174	
		 $\angle 45^\circ$	92 01 01	SMD Precision Tweezers			1
		 $\angle 35^\circ$	92 01 02				1
			92 01 03				1
		 $\angle 45^\circ$	92 01 04				1
 $\angle 30^\circ$	92 02 54	1					
92 00 04	087052	Universal Tweezers Set insulated			1	275	
		 	92 27 61	Universal Tweezers insulated			1
		 	92 27 62				1
		  $\angle 30^\circ$	92 37 64				1
			92 47 01				1
 	92 67 63	1					
92 00 05 ESD	087069	Plastic Tweezers Set ESD			1	120	
		 	92 09 01 ESD	Plastic Tweezers ESD			1
			92 09 02 ESD				1
		  $\angle 45^\circ$	92 09 03 ESD				1
			92 09 04 ESD				1
 	92 09 05 ESD	1					
00 19 92 V01 LE	087229	Tool Roll for tweezers 5 compartments					
00 19 92 V02 LE	087236	Tool Roll for tweezers 7 compartments					

Belt Pouch XS

for KNIPEX Cobra® XS and Pliers Wrench XS

- > Tool bag made from durable polyester fabric, with hook-and-loop fastener and belt loop



00 19 72 XS LE

Article No.	EAN 4003773-	Width mm	Height mm	Depth mm	⚖ g
00 19 72 XS LE	087335	60	110	40	45

Belt Pouch

for two pliers

- > For two pliers up to 150 mm length
- > Made of hard-wearing polyester fabric, with hook-and-loop-fastener
- > With elastic side holder for small flash lamp, pen or suchlike
- > With practical belt clip



00 19 72 LE

Article No.	EAN 4003773-	Width mm	Height mm	Depth mm	⚖ g
00 19 72 LE	070191	75	180	55	65

Belt Tool Pouch

- > Tool bag made from durable polyester fabric, with belt loop
- > Conical bag for 1 to 3 hand tools
- > Ideal form for the angled Electricians' Shears 95 05 20 SB
- > Also suitable for KNIPEX CutiX or similarly slim tools like the Pliers for Electrical Installation, KNIPEX TwinGrip®, etc.
- > With pen compartment



00 19 75 LE



Article No.	EAN 4003773-	Width mm	Height mm	Depth mm	⚖ g
00 19 75 LE	088158	110	215	40	70

Mini Pliers Set XS

Compact. Practical. Robust.

- ▶ Always to hand, always useful: Pliers Wrench XS and KNIPEX Cobra® XS in a practical belt pouch
- ▶ Tool bag made from durable polyester fabric, with hook-and-loop fastener and belt loop

- > With pliers wrench XS: 100 mm tool length, parallel jaw opening gently grips up to 21 mm width across flats
- > With KNIPEX Cobra® XS: 100 mm tool length, grips round workpieces up to 28 mm, with self-locking effect
- > Dimensions (W x H x D): 60 x 110 x 40 mm



00 20 72 V04 XS




Large capacity, precise grip: As the jaws always grip in parallel, the Pliers Wrench XS is particularly gentle on hex heads with decorative finishes in sizes up to 21 mm width across flats.



Amazing flexibility: The self-locking effect of the KNIPEX Cobra® XS enables it to grip round materials up to Ø 28 mm extremely reliably – and, due to its very slim head, it can also hold small components in place.



Both tools are held securely in the practical tool bag due to a robust hook-and-loop fastener – and yet close at hand.

Article No.	EAN 4003773-			Nominal size	Quantity	△ g	
00 20 72 V04 XS	087328	Mini-Zangenset XS				175	
		 PATENTED	86 04 100	Pliers Wrench XS	100 mm		1
		 PATENTED	87 00 100	KNIPEX Cobra® XS Water Pump Pliers	100 mm		1
00 19 72 XS LE	087335	Belt Pouch XS for KNIPEX Cobra® XS and Pliers Wrench XS empty					

Mini Pliers Sets

Small pliers for big jobs: mini pliers sets in practical tool belt pouch

- > Tool bag made from durable polyester fabric, with hook-and-loop fastener and belt clip
- > Dimensions (W x H x D): 75 x 180 x 55 mm



00 19 72 V01



00 20 72 V01



00 20 72 V02




00 20 72 V04



00 20 72 V06




KNIPEX Mini Cobra®: adjustment directly on the workpiece at the press of a button















Needle-nose combination pliers: ideal for working in hard-to-reach places thanks to the slender head shape with powerful



The cable tie can be safely gripped and compressed with the laser-tooled jaws



All edges on the pliers head are specially rounded – unintentional damage to the insulation is avoided

Article No.	EAN		Nominal size	Quantity	g
00 19 72 V01	4003773-072768	Cable Tie Cutting Set 1  MM  79 02 125 S1 Precision Electronics Diagonal Cutter e.g. for opening plastic cable connectors  86 05 150 S02 Pliers Wrench with roughened jaws	125 mm 150 mm	1 1	345
00 20 72 V01	070832	Mini pliers set in belt tool pouch  86 03 150 Pliers Wrench pliers and a wrench in a single tool  87 01 125 KNIPEX Cobra® High-Tech Water Pump Pliers	150 mm 125 mm	1 1	345
00 20 72 V02	075851	Mini pliers set in belt tool pouch  74 01 160 High Leverage Diagonal Cutter  87 01 150 KNIPEX Cobra® High-Tech Water Pump Pliers	160 mm 150 mm	1 1	420
00 20 72 V04	078920	Mini pliers set in belt tool pouch  86 03 125 Mini-Pliers Wrench  87 01 125 KNIPEX Cobra® High-Tech Water Pump Pliers	125 mm 125 mm	1 1	264
00 20 72 V06	081937	Mini pliers set in belt tool pouch   08 22 145 Needle-Nose Combination Pliers  87 01 150 KNIPEX Cobra® High-Tech Water Pump Pliers	145 mm 150 mm	1 1	375
00 19 72 LE	070191	Belt Pouch for two pliers empty			

Tool Box "SRZ"

**Well fixed, safely transported:
Extensive range in handy case**

- > High-quality, impact-resistant plastic case
- > Precisely-sized recesses for holding the pliers
- > Clearly organised storage of tools
- > Dimensions, exterior (W x H x D): 260 x 80 x 210 mm



00 21 25

Article No.	EAN 4003773-	Form		Capacity Ø mm	Tips Ø mm	Quantity	⚖ g	
00 21 25	050131	Tool Box "SRZ" Circlip Pliers					1635	
		↻	48 11 J1	Precision Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	12.0 – 25.0	1.3	1
			48 11 J2			19.0 – 60.0	1.8	1
		↻ ∠90°	48 21 J11	Precision Circlip Pliers for internal circlips in bore holes	DIN 5256 D; 90° angled jaws	12.0 – 25.0	1.3	1
			48 21 J21			19.0 – 60.0	1.8	1
		⊘ MM	49 11 A1	Precision Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	10.0 – 25.0	1.3	1
			49 11 A2			19.0 – 60.0	1.8	1
		⊘ MM ∠90°	49 21 A11	Precision Circlip Pliers for external circlips on shafts	DIN 5254 B; 90° angled jaws	10.0 – 25.0	1.3	1
			49 21 A21			19.0 – 60.0	1.8	1

Electronics Pliers Sets

with tools for work on electronic components

- > Dimensions, closed (W x H x D): 215 x 160 x 50 mm

00 20 16

- > 7 parts, contains 6 electronics pliers and one pair of precision tweezers; case made of hard-wearing polyester fabric, pliers are held by elastic band, zippered



00 20 16



00 20 16 P

00 20 16 P

- > 6 parts, contains 6 precision electronics pliers; case made of hard-wearing polyester fabric, pliers are held by elastic band, zippered



00 20 16 P ESD



00 20 17

00 20 16 P ESD

- > 6 parts, contains 6 ESD precision electronics pliers, electrically discharging version; case made of hard-wearing polyester fabric, pliers are held by elastic band, zippered

00 20 17

- > 6 parts, contains 6 ESD precision electronics pliers, electrically discharging version; case made of hard-wearing polyester fabric, pliers are held by elastic band, zippered

00 20 18

- > 8 parts, contains 2 electronics pliers and 6 electronics screwdrivers; practical storage box, shock-resistant plastic, with foam insert



00 20 18



00 20 18 ESD

00 20 18 ESD

- > 8 parts, contains 2 electronics pliers and 6 ESD electronics screwdrivers, electrically discharging version; practical storage box, shock-resistant plastic, with foam insert

Article No.	EAN 4003773-	Content	⚖ g
00 20 16	022619	35 12 115 / 35 22 115 / 35 32 115 / 64 32 120 / 77 02 115 / 77 42 115 / 92 34 36	720
00 20 16 P	063223	34 12 130 / 34 22 130 / 34 32 130 / 79 02 120 / 79 02 120 / 79 02 125 / 79 42 125	575
00 20 16 P ESD	063230	34 12 130 ESD / 34 22 130 ESD / 34 32 130 ESD / 79 02 120 ESD / 79 02 125 ESD / 79 42 125 ESD	585
00 20 17	031222	35 12 115 ESD / 35 22 115 ESD / 35 42 115 ESD / 64 32 120 ESD / 77 02 115 ESD / 77 32 115 ESD	695
00 20 18	033073	35 22 115 / 77 02 115 / Screwdriver 0.4 x 2.5 / 0.5 x 3.0 / 0.6 x 3.5 / 0.8 x 4.0 / PH0 / PH1	460
00 20 18 ESD	051848	35 22 115 ESD / 77 02 115 ESD / Screwdriver 0.4 x 2.5 / 0.5 x 3.0 / 0.6 x 3.5 / 0.8 x 4.0 / PH0 / PH1	465

Pliers Sets

Ideally stored and versatile: plier sets in matching foam insert for workbench and workshop trolley

- > In a foam tray for workbenches and tool trolleys
- > Clearly organised storage of tools
- > Precisely-sized recesses for holding the pliers
- > Foam tray dimensions (W x H x D): 335 x 165 x 33 mm
- > Material: two colour, closed pore foam



00 20 01 V02




00 20 01 V09



00 20 01 V15



00 20 01 V16



00 20 01 V17

Article No.	EAN 4003773-				Nominal size	Quantity	g
00 20 01 V02	069652	Precision Circlip Pliers Set in a foam tray					915
		⊙	48 11 J1	Precision Circlip Pliers for internal circlips in bore holes	∅ 12 – 25 mm	1	
			48 11 J2		∅ 19 – 60 mm	1	
		⊙ ∠90°	48 21 J21		∅ 19 – 60 mm	1	
		⊙ ∩	49 11 A1	Precision Circlip Pliers for external circlips on shafts	∅ 10 – 25 mm	1	
			49 11 A2		∅ 19 – 60 mm	1	
⊙ ∩ ∠90°	49 21 A21	∅ 19 – 60 mm	1				
00 20 01 V09	073291	Set of pliers in a foam tray					820
		⊙	48 11 J2	Precision Circlip Pliers for internal circlips in bore holes	∅ 19 – 60 mm	1	
		⊙ ∠90°	48 21 J21		∅ 19 – 60 mm	1	
		⊙ ∩	49 11 A2	Precision Circlip Pliers for external circlips on shafts	∅ 19 – 60 mm	1	
		⊙ ∩ ∠90°	49 21 A21		∅ 19 – 60 mm	1	
00 20 01 V15	081586	Set of pliers in a foam tray					1121
		🔧	03 02 180	Combination Pliers	180 mm	1	
		🔧 ⊖	26 12 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		🔧	74 02 180	High Leverage Diagonal Cutter	180 mm	1	
		🔧	87 01 250	KNIPEX Cobra® High-Tech Water Pump Pliers	250 mm	1	
00 20 01 V16	081593	Set of pliers in a foam tray					850
		🔧 (PATENTED)	08 21 145	Needle-Nose Combination Pliers	145 mm	1	
		🔧 ⊖	28 71 280	Long Reach Needle Nose Pliers with transverse profiles	280 mm	1	
		🔧 ⊖ ∠45°	28 81 280		280 mm	1	
		🔧	74 01 180	High Leverage Diagonal Cutter	180 mm	1	
00 20 01 V17	081944	Set of pliers in a foam tray					1225
		🔧	03 05 180	Combination Pliers	180 mm	1	
		🔧 ⊖	26 15 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		🔧	74 05 180	High Leverage Diagonal Cutter	180 mm	1	
		🔧	87 05 250	KNIPEX Cobra® High-Tech Water Pump Pliers	250 mm	1	

Tool Kits


- > Attractive sales packaging with Euro standard perforation
- > Tools in a plastic deep-drawn tray with transparent lid
- > Dimensions (W x H x D): 170 x 370 x 40 mm



00 20 09 V01



00 20 09 V02




00 20 09 V03



00 20 10



00 20 11



00 20 11 V01



00 20 12



00 20 13

Article No.	EAN 4003773-				Nominal size	Quantity	g
00 20 09 V01	073994	Bestseller Set					955
			03 02 180	Combination Pliers	180 mm	1	
			70 02 160	Diagonal Cutter	160 mm	1	
			87 01 250	KNIPEX Cobra® High-Tech Water Pump Pliers	250 mm	1	
00 20 09 V02	074793	KNIPEX Cobra® Set					1220
			87 01 180	KNIPEX Cobra® High-Tech Water Pump Pliers	180 mm	1	
			87 01 250		250 mm	1	
			87 01 300		300 mm	1	
00 20 09 V03	074809	KNIPEX Alligator® Set					1195
			88 01 180	KNIPEX Alligator® Water Pump Pliers	180 mm	1	
			88 01 250		250 mm	1	
			88 01 300		300 mm	1	
00 20 10	010388	Power Set					865
			02 01 180	Kraft-Combination Pliers	180 mm	1	
			74 01 160	High Leverage Diagonal Cutter	160 mm	1	
00 20 11	012405	Assembly Set					815
			03 02 180	Combination Pliers	180 mm	1	
			26 12 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
00 20 11 V01	064091	Assembly Set					870
			03 05 180	Combination Pliers	180 mm	1	
			26 15 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
00 20 12	012412	Electric Set					960
			03 06 180	Combination Pliers	180 mm	1	
			26 16 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
00 20 13	043287	VDE Tool Set					780
			006110	Screwdrivers for slotted screws 160i	0.6 x 3.5 x 100 mm	1	
			006154	Screwdriver, Kreuzschlitz Phillips® 162i PH	PH2 x 100 mm	1	
			26 16 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
			6120	Screwdrivers for slotted screws 160i	1.0 x 5.5 x 125 mm	1	
	70 06 160	Diagonal Cutter	160 mm	1			

Screwdriver sets VDE

- > Attractive sales packaging with Euro standard perforation
- > Tools in a plastic deep-drawn tray with transparent lid
- > Burnished tip, insulating multi-component handle, VDE-tested
- > Dimensions (W x H x D): 170 x 370 x 40 mm



00 20 12 V01



00 20 12 V02



00 20 12 V03



00 20 12 V04



00 20 12 V05

Article No.	EAN				Nominal size	Quantity	△ g	
00 20 12 V01	4003773-075523	Screwdriver Set					610	
		98 20 30	Screwdrivers for slotted screws	0.3 x 3 x 100 mm	1			
		98 20 40		0.8 x 4 x 100 mm	1			
		98 20 55		1.0 x 5.5 x 125 mm	1			
		98 20 65		1.2 x 6.5 x 150 mm	1			
		98 24 01	Screwdriver for cross recessed screws Phillips®	PH1 x 80 mm	1			
		98 24 02		PH2 x 100 mm	1			
00 20 12 V02	082538	VDE Screwdriver Set Slotted / Phillips®					550	
		98 20 30	Screwdrivers for slotted screws	0.3 x 3 x 100 mm	1			
		98 20 40 SL		0.8 x 4 x 100 mm	1			
		98 20 55 SL		Screwdriver (Slim) for slotted screws	1.0 x 5.5 x 125 mm		1	
		98 20 65 SL		1.2 x 6.5 x 150 mm	1			
		98 24 01 SL	Screwdriver (Slim) for cross-recessed screws Phillips®	PH1 x 80 mm	1			
		98 24 02 SL		PH2 x 100 mm	1			
00 20 12 V03	082545	VDE Screwdriver Set Phillips® / Pozidriv®					500	
		98 24 00	Screwdriver for cross recessed screws Phillips®	PH0 x 60 mm	1			
		98 24 01 SL	Screwdriver (Slim) for cross-recessed screws Phillips®	PH1 x 80 mm	1			
		98 24 02 SL		PH2 x 100 mm	1			
		98 25 00	Screwdriver für Kreuzschlitzschrauben Pozidriv®	PZ 0 x 60 mm	1			
		98 25 01 SL	Screwdriver (Slim) for cross-recessed screws Pozidriv®	PZ1 x 80 mm	1			
		98 25 02 SL		PZ2 x 100 mm	1			
00 20 12 V04	082552	VDE Screwdriver Set Slotted / Phillips® / Pozidriv®					509	
		98 20 25	Screwdrivers for slotted screws	0.4 x 2.5 x 75 mm	1			
		98 20 40 SL	Screwdriver (Slim) for slotted screws	0.8 x 4 x 100 mm	1			
		98 24 01 SL	Screwdriver (Slim) for cross-recessed screws Phillips®	PH1 x 80 mm	1			
		98 24 02 SL		PH2 x 100 mm	1			
		98 25 01 SL	Screwdriver (Slim) for cross-recessed screws Pozidriv®	PZ1 x 80 mm	1			
		98 25 02 SL		PZ2 x 100 mm	1			
00 20 12 V05	082569	VDE Screwdriver Set PlusMinus / Slotted						510
		98 20 25	Screwdrivers for slotted screws	0.4 x 2.5 x 75 mm	1			
		98 20 40 SL	Screwdriver (Slim) for slotted screws	0.8 x 4 x 100 mm	1			
		98 24 01 SLS	Screwdriver (Slim) PlusMinus Phillips®	PH/S 1 x 80 mm	1			
		98 24 02 SLS		PH/S 2 x 100 mm	1			
		98 25 01 SLS	Screwdriver (Slim) Plus/Minus Pozidriv®	PZ/S1 x 80 mm	1			
		98 25 02 SLS		PZ/S2 x 100 mm	1			

Pliers Sets







00 31 20 V01




00 31 20 V02



00 31 20 V03

Article No.	EAN		Nominal size	Quantity	△ g
00 31 20 V01	4003773-077251	Set of pliers			555
		 87 01 180	KNIPEX Cobra® High-Tech Water Pump Pliers	180 mm	1
		87 01 250		250 mm	1
00 31 20 V02	077268	Set of pliers			550
		 88 01 180	KNIPEX Alligator® Water Pump Pliers	180 mm	1
		88 01 250		250 mm	1
00 31 20 V03	078104	Set of pliers			620
		 86 03 180	Pliers Wrench	180 mm	1
		 87 01 250		250 mm	1



Precision Circlip Pliers Sets

► For internal and external circlips

- > Attractive sales packaging with Euro standard perforation
- > Sturdy plastic retail packaging, also suitable for storage of the pliers
- > Contains common Precision Circlip Pliers for highest requirements; for internal and external circlip



00 20 03 SB



00 20 04 SB

Article No.	EAN 4003773-				Form	Capacity Ø mm	Tips Ø mm	Quantity	g
00 20 03 SB	050100	Precision Circlip Pliers Set							685
		☉	48 11 J1	Precision Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	12.0 – 25.0	1.3	1	
			48 11 J2			19.0 – 60.0	1.8	1	
		☉MM	49 11 A1	Precision Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	10.0 – 25.0	1.3	1	
49 11 A2	19.0 – 60.0		1.8			1			
00 20 04 SB	062417	Precision Circlip Pliers Set							1275
		☉	48 11 J1	Precision Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	12.0 – 25.0	1.3	1	
			48 11 J2			19.0 – 60.0	1.8	1	
		☉∠90°	48 21 J11		DIN 5256 D; 90° angled jaws	12.0 – 25.0	1.3	1	
			48 21 J21			19.0 – 60.0	1.8	1	
		☉MM	49 11 A1	Precision Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	10.0 – 25.0	1.3	1	
			49 11 A2			19.0 – 60.0	1.8	1	
		☉MM∠90°	49 21 A11		DIN 5254 B; 90° angled jaws	10.0 – 25.0	1.3	1	
			49 21 A21			19.0 – 60.0	1.8	1	

Circlip Pliers Sets

► For internal and external circlips

- > Attractive sales packaging with Euro standard perforation
- > Sturdy plastic retail packaging, also suitable for storage of the pliers
- > Contains common Precision Circlip Pliers for highest requirements; for internal and external circlips



00 20 03 V02



00 20 04 V01

Article No.	EAN 4003773-				Form	Capacity Ø mm	Tips Ø mm	Quantity	g
00 20 03 V02	077640	Set of Circlip Pliers							450
		☉	44 11 J1	Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	12.0 – 25.0	1,3	1	
			44 11 J2			19.0 – 60.0	1.8	1	
		☉MM	46 11 A1	Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	10.0 – 25.0	1.3	1	
46 11 A2	19.0 – 60,0		1.8			1			
00 20 04 V01	077633	Set of Circlip Pliers							890
		☉	44 11 J1	Circlip Pliers for internal circlips in bore holes	DIN 5256 C; straight jaws	12.0 – 25.0	1,3	1	
			44 11 J2			19.0 – 60.0	1.8	1	
		☉∠90°	44 21 J11		DIN 5256 D; 90° angled jaws	12.0 – 25.0	1.3	1	
			44 21 J21			19.0 – 60.0	1.8	1	
		☉MM	46 11 A1	Circlip Pliers for external circlips on shafts	DIN 5254 A; straight jaws	10.0 – 25.0	1.3	1	
			46 11 A2			19.0 – 60.0	1.8	1	
		☉MM∠90°	46 21 A11		DIN 5254 B; 90° angled jaws	10.0 – 25.0	1.3	1	
			46 21 A21			19.0 – 60.0	1.8	1	

Electrical Installations Set



00 31 30 BK V01



00 31 30 BK V02



00 31 30 BK V03

Article No.	EAN				Nominal size	Quantity	g
00 31 30 BK V01	4003773-086574	Electrical Installations Set					540
		Δ 1000 V PATENTED	13 86 200	Pliers for Electrical Installation	\varnothing 15 mm / 50 mm ²	1	
		PATENTED	16 95 01 SB	KNIPEX ErgoStrip® Universal Stripping Tool	\varnothing 8.0 – 13.0 mm	1	
		Δ 1000 V	70 06 160	Diagonal Cutter	160 mm	1	
00 31 30 BK V02	087892	Electrical Cutting Set					510
		Δ 1000 V	70 06 160	Diagonal Cutter	160 mm	1	
		Δ 1000 V	78 06 125	Electronic Super Knips VDE	125 mm	1	
		Δ 1000 V	95 16 160	KNIPEX StepCut® Cable Shears	\varnothing 15 mm / 50 mm ²	1	
00 31 30 BK V03	087885	Electrical Set					618
		Δ 1000 V	11 06 160	Insulation Stripper with opening spring, universal	\varnothing 5.0 mm / 10.0 mm ²	1	
		Δ 1000 V	26 16 200	Snipe Nose Side Cutting Pliers (Stork Beak Pliers)	200 mm	1	
		Δ 1000 V	70 06 160	Diagonal Cutter	160 mm	1	

Extension Sets Electro

00 20 90 V01

Extension Set Electro 1, 10 parts

Add another 10 brand tools to your tool assortment

KNIPEX: KNIPEX TwinKey®, VDE High Leverage Diagonal Cutter 200 mm, VDE Snipe Nose Side Cutting Pliers 160 mm bent, VDE Cable Shears 165 mm, KNIPEX Cobra® 180 mm, Universal Stripping Tool, VDE Screwdriver (Slim) PlusMinus PZ/S 1, VDE Screwdriver (Slim) PlusMinus PZ/S 2

Stabila: Pocket Electric mini spirit level, Wooden folding rule type 1607, white, 2 m



00 20 90 V01

00 20 90 V02

Extension Set Electro 2, 13 parts

Add another 13 brand tools to your tool assortment

KNIPEX: KNIPEX TwinKey®, VDE High Leverage Diagonal Cutter 200 mm, VDE Snipe Nose Side Cutting Pliers 160 mm bent, VDE Cable Shears 165 mm, KNIPEX Cobra® 180 mm, KNIPEX ErgoStrip® Universal Stripping Tool, VDE Electronic Super Knips, Automatic Insulation Stripper, Crimping Pliers for wire ferrules, VDE Screwdriver (Slim) PlusMinus PZ/S 1, VDE Screwdriver (Slim) PlusMinus PZ/S 2

Stabila: Pocket Electric mini spirit level, Wooden folding rule type 1607, white, 2 m



00 20 90 V02

TANOS MINI-systainer®

empty

- > T-Loc fastener for one-handed operation: open or close the systainer® with one turn and connect to a second systainer®
- > Opening when connected: fast and simple access to content without disconnecting



97 90 00 LE

Article No.	EAN	Dimension exterior (interior) width mm	Dimension exterior (interior) height mm	Dimension exterior (interior) depth mm	Δ g
97 90 00 LE	4003773-054009	265 (254.5)	71 (53)	171 (154.5)	900



Crimp Assortments

for non-insulated wire ferrules

- > In a TANOS MINI-systainer® (solid plastic box)
- > T-Loc fastener for one-handed operation: open or close the systainer® with one turn and connect to a second systainer®
- > Opening when connected: fast and simple access to content without disconnecting
- > Two stackable plastic inserts with 6 trays each for connectors
- > With an assortment of wire ferrules with/without collar

97 90 05

- > Crimping pliers for wire end ferrules (97 71 180)

97 90 06

- > Crimping pliers for wire end ferrules (97 71 180)

97 90 09

- > With Self-Adjusting Crimping Pliers for wire ferrules (97 53 04)

97 90 10

- > With Self-Adjusting Insulation Stripper (12 40 200); with Self-Adjusting Crimping Pliers for wire ferrules (97 53 04)

97 90 13

- > With KNIPEX Twistor16® (97 53 18) Self-Adjusting Crimping Pliers for wire ferrules with rotatable die head

97 90 14

- > With crimping pliers for wire ferrules KNIPEX Twistor16® (97 53 18) and KNIPEX PreciStrip16 (12 52 195)

97 90 15

- > With crimping pliers for wire ferrules (97 53 09) and KNIPEX PreciStrip16 (12 52 195)

97 90 16

- > With crimping pliers for wire ferrules (97 53 09) and self-adjusting insulation stripper (12 40 200)

97 90 17

- > With crimping pliers for wire ferrules (97 53 09) and self-adjusting insulation stripper (12 42 195)

97 90 23

- > With crimping pliers KNIPEX PreciForce® for wire ferrules (97 52 38)



97 90 05



97 90 10



97 90 13



97 90 23

Article No.	EAN 4003773-		Pliers	200 x mm ²	150 x mm ²	100 x mm ²	75 x mm ²	50 x mm ²	40 x mm ²	g
97 90 05	025535		97 71 180	0.5 / 0.75 / 1 / 1.5 / 2.5	4 / 6			10 / 16		930
97 90 06	025542		97 71 180	0.5 / 0.75 / 1 / 1.5	2.5		4 / 6	10	16	930
97 90 09	028574		97 53 04	0.5 / 0.75 / 1 / 1.5 / 2.5		4 / 6		10		1420
97 90 10	046202		12 40 200	0.5 / 0.75 / 1 / 1.5 / 2.5		4 / 6		10		1353
			97 53 04							
97 90 13	083474		97 53 18	0.5 / 0.75 / 1 / 1.5	2.5		4 / 6	10	16	1270
97 90 14	084884		97 53 18	0.5 / 0.75 / 1 / 1.5	2.5		4 / 6	10	16	1450
			12 52 195							
97 90 15	084877		97 53 09		1.5	1.5 / 2.5		6	4	1450
			12 52 195							
97 90 16	086024		12 40 200	0.5 / 0.75 / 1 / 1.5 / 2.5		4 / 6		10		1450
			97 53 09							
97 90 17	086031		12 42 195	0.5 / 0.75 / 1 / 1.5 / 2.5		4 / 6		10		1450
			97 53 09							
97 90 23	062158		97 52 38	0.5 / 0.75 / 1 / 1.5 / 2.5		4 / 6				1226
97 90 00 LE	054009		TANOS MINI-systainer® empty							900

Crimp Assortments

for cable connectors

- > In a TANOS MINI-systainer® (solid plastic box)
- > T-Loc fastener for one-handed operation: open or close the systainer® with one turn and connect to a second systainer®
- > Opening when connected: fast and simple access to content without disconnecting
- > Two stackable plastic inserts with 6 trays each for connectors
- > With an assortment of standard cable connectors



97 90 21



97 90 22

97 90 21

- > With crimping pliers KNIPEX PreciForce® 97 52 36 (for insulated terminals and plug connectors)

97 90 22

- > Self-Adapting Universal Insulation Stripper Multistrip 10 12 42 195; with crimping pliers KNIPEX PreciForce® 97 52 36 (for insulated terminals and plug connectors)



97 90 25



97 90 26

97 90 25






































- > With crimping pliers (97 22 240)

97 90 26

- > With crimping pliers (97 32 241)

Article No.	EAN 4003773-		Pliers	Cable Connectors	Quantity	Cable mm ²	Δ g
97 90 21	062134		97 52 36	Blade Terminal Sockets, 6.3 x 0.8 mm	25	0.5 – 1	1416
					25	1.5 – 2.5	
					25	0.5 – 1	
				Round Sockets, Ø 4 mm	25	0.5 – 1	
				Cable Connectors, eye type, Ø 4 mm	25	4 – 6	
					25	4 – 6	
				Cable Connectors, eye type, Ø 5 mm	25	1.5 – 2.5	
					25	1.5 – 2.5	
				Cable Connectors, eye type, Ø 6 mm	25	1.5 – 2.5	
				Butt Connectors, insulated Red	25	0.5 – 1	
Butt Connectors, insulated Blue	25	4 – 6					
Round Pin Plugs Ø 4 mm	25	1.5 – 2.5					
97 90 22	062141		97 52 36 12 42 195	Blade Terminal Sockets, 6.3 x 0.8 mm	25	0.5 – 1	1527
					25	1.5 – 2.5	
				Cable Connectors, eye type, Ø 4 mm	25	0.5 – 1	
				Cable Connectors, eye type, Ø 5 mm	25	0.5 – 1	
				Cable Connectors, eye type, Ø 6 mm	25	1.5 – 2.5	
				Cable Connectors, eye type, Ø 8 mm	25	1.5 – 2.5	
				Cable Connectors, eye type, Ø 4 mm	25	1.5 – 2.5	
				Cable Connectors, eye type, Ø 5 mm	25	4 – 6	
				Cable Connectors, eye type, Ø 6 mm	25	4 – 6	
				Butt Connectors, insulated Red	25	0.5 – 1	
Butt Connectors, insulated Blue	25	1.5 – 2.5					
Butt Connectors, insulated Yellow	25	4 – 6					
97 90 25	076971		97 22 240	Blade Terminal Sockets, 6.3 x 0.8 mm	25	0.5 – 1.5	1150
					25	1 – 2.5	
				Cable Connectors, eye type, Ø 4 mm	25	0.5 – 1	
				Cable Connectors, eye type, Ø 5 mm	25	1.5 – 2.5	
				Cable Connectors, eye type, Ø 4 mm	25	4 – 6	
				Cable Connectors, eye type, Ø 5 mm	25	0.5 – 1	
					25	1.5 – 2.5	
					25	0.5 – 1	
				Cable Connectors, eye type, Ø 8 mm	25	1.5 – 2.5	
				Butt Connectors, insulated Red	25	0.5 – 1	
Butt Connectors, insulated Blue	25	1.5 – 2.5					
Butt Connectors, insulated Yellow	25	4 – 6					
97 90 26	079521		97 32 240	Blade Terminal Sockets, non-insulated, 6.3 x 0.8 mm	25	1.5 – 2.5	1420
					25	4 – 6	
					25	0.5 – 1	
				Blade Terminal Sockets, 6.3 x 0.8 mm	25	0.5 – 1	
					25	1.5 – 2.5	
				Blade Terminal Plugs, 6.3 x 0,8 mm	25	1.5 – 2.5	
					25	4 – 6	
				Cable Connectors, eye type, Ø 4 mm	25	4 – 6	
					25	0.5 – 1	
				Butt Connectors, insulated Red	25	1.5 – 2.5	
Butt Connectors, insulated Blue	25	0.5 – 1					
Butt Connectors, insulated Yellow	25	0.5 – 1					
97 90 00 LE	054009	TANOS MINI-systainer® empty					900

Pictograms

	Packing unit		Hexagon		Round jaws
SB / BK	Carded pliers with euro holes		Slotted screw		Angle
ESD 	Electrostatic discharging, dissipative		Cross recessed screw		Smooth gripping surfaces
1000 V 	Insulated according to IEC 60900, usable up to 1000 V AC/1500 V DC		PlusMinus cross recessed screw		Smooth-serrated gripping surfaces
	VDE tested, also in compliance with GPSG (Equipment and Product Safety Act)		Pozidriv cross recessed screw		Knurled gripping surfaces
	Cu- + Al-multi-conductor cable, solid and multi-stranded		Torx		Cross-hatched, knurled gripping surfaces
	Square crimp automatic		Internal square 3/8"		Centre cutter
	Hexagonal crimp automatic		Internal square 1/2"		Cutting edges with bevel
	Mandrel crimp		With opening spring		Cutting edges with very small bevel
	Trapezoid crimp		Internal circlip		Cutting edges without bevel
	Oval crimp		External circlip		
	F-crimp		Flat jaws		
	Hexagonal crimp		Flat and pointed jaws		
	Square crimp		Half-round jaws		





KNIPEX-Werk
C. Gustav Putsch KG

42337 Wuppertal
Germany

Tel.: +49 202 – 47 94-0
Fax: +49 202 – 47 50 94

info@knipex.com
www.knipex.com

