

HSL-32/m Premium Wood Protection Stain 3in1


Hydrophobic, biocide-free premium wood protection stain to reduce susceptibility to wood discolouration



HSL-32/m Premium Wood Protection Stain 3in1

Hydrophobic, biocide-free premium wood protection stain to reduce susceptibility to wood discolouration

Range of use	<ul style="list-style-type: none"> For use on exterior wood Wood without ground contact as per DIN EN 335-1, classes 1, 2 & 3 Wood elements that come into contact with skin: e.g. chairs, tables, benches, swings, climbing frames etc. Wood elements with no dimensional stability: e.g. fences, framework, carports, planking Wood building elements with limited dimensional stability: e.g. folding shutters, matchboarding, summerhouses Primer, intermediate coat and finishing coat For professional users Not suitable for coating floors (terraces, wooden decking etc.)
Property profile	<ul style="list-style-type: none"> Biocide-free low-build stain 3in1: impregnation, primer and stain Preventive, physical protection against: moisture, UV and nesting wasps Impregnation effect: Saturates the wood to protect against moisture Diffusion-open protective film: moisture can escape Water-repellent: wet surfaces dry quickly Protection against weather conditions (structural wood protection and moisture protection of the product) reduces the risk of development of blue stain and rot Long-term protection: uniform weathering and no flaking Subsequent treatment without sanding
Application	<ul style="list-style-type: none"> Brush on in the direction of the grain Apply a 2nd or 3rd coat once dry Use material of the same batch number for contiguous surfaces, otherwise slight differences in colour, gloss and texture may occur (mix together material from different batches beforehand) It is recommended to apply a clear base coat to oak
Application rate	<ul style="list-style-type: none"> Approx. 180 ml – 250 ml/m² in min. 2–3 coats Planed or highly dense wood types are less absorbent and may require a third coat
Overcoating	<ul style="list-style-type: none"> Overcoating: after approx. 12 hours Practice values at 20 °C and 65% relative humidity Low temperatures, low air exchange and high humidity cause delays in drying



System products Art. no.

IG-10-Impregnation Primer IT*	(7144)
Induline SW-910	(3777)

*Use biocides safely. Always read the label and product information before use.

Quantity per pallet	672	200	96	22
Packaging unit	0.75 l Tin bucket	2.5 l Tin bucket	5 l Tin bucket	20 l Tin bucket
Container code	01	03	05	20
Art. no.				
7280	clear	▪	▪	▪
7282	light oak (RC-365)	▪	▪	▪
7283	nutwood (RC-660)	▪	▪	▪
7284	pine/larch (RC-260)	▪	▪	▪
7285	palisander (RC-720)	▪	▪	▪
7286	silver grey (RC-970)	▪	▪	▪
7287	teak (RC-545)	▪	▪	▪
7281	special colour		▪	▪

HSL-32/m Premium Wood Protection Stain 3in1

Hydrophobic, biocide-free premium wood protection stain to reduce susceptibility to wood discolouration

3in1 wood protection stains from Remmers consist of a high-quality wood preservative impregnation, primer and stain all in one product. This offers a wealth of advantages for the user: Only one product is needed, which speeds up application while reducing the material costs per m². HSL-32 is the first product in the Remmers range of 3in1 wood protection stains to be completely biocide-free.

An innovative physical concept protects the wood against moisture more comprehensively than ever before, creating an effective barrier to fungal growth.

The products' biocide-free formulation means that it can also be used in sensitive areas, and the treated wood can be recycled more flexibly at the end of its lifespan.




Colour sample



Sample shows softwood, colour shade light oak (RC-365)

Wood protection with 3in1 moisture barrier



1 Impregnation effect:
saturates the wood to protect
against moisture

2 Water-repellent:
wet surfaces dry quickly

3 Diffusion-open protective film:
moisture can escape

Standard colours



clear
7280



light oak (RC-365)
7282



nutwood (RC-660)
7283



pine/larch (RC-260)
7284




palisander (RC-720)
7285



silver grey (RC-970)
7286



teak (RC-545)
7287



special colour
7281

Creativity without limits - step into the Remmers world of colour

For painters, decorators and the timber trade, the colour card from Remmers provides an endless source of inspiration for wood surface finishes. The colour card gives specialists a fully fledged tool for selecting colour shades and advising customers and developers that can even be used right on the project site.

This compact and easy-to-use card features more than 130 opaque and translucent colour suggestions. But although it is small, it is still mighty: since our smart collection comprehensively covers all the colour spaces, virtually every wish can be fulfilled. It offers a wide range of ideas for eye-catching surface finishes.

All the colours are available wholesale with the remmers-mix tinting concept in a wide variety of product qualities from the range of "wood coatings for professionals".



Art. no. 574201



Subject to changes. The current version of the applicable Technical Data Sheet is relevant for legal matters. Colour variations are possible. Global contact: www.remmers.com/remmers-worldwide